

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Update: 02.01.2017 CITES, 04.02.2017 EU (Explanation of the annotations at the end of the list); History of the protection status is written in grey (not more valid)

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 was valid the CITES Appendix)	Natural distribution
<i>Abies guatemalensis</i> (syn. <i>A. tacanensis</i>)	Gautemalan Fir, Mexican Fir, Pinbete, Abeto mexicana, Guayami, Hallarin, Mexican fir, Oyamel, Pinabete, Plumajatzin, Plumajillo de montana	I (01.07.1975)	A (01.06.1997)	El Salvador, Guatemala, Honduras, Mexico
<i>Adansonia grandidieri</i>	Grandidier's Baobab	II ^{#16} (02.01.2017)	B ^{#16} (04.02.2017)	Madagascar
<i>Aquilaria spp.</i>	Agar wood, Aloe wood, Eagle wood, Agalloco, Agarú, Aggalichandanam, Agru, Calambac, Calamboc, Gaharu, Gia, Hasi, Kalambak, Karas, Klaw, Lignaloos, Maderade Agar, Paradies-holz, Sasi, Tugge, Ugar	II ^{#14} (12.01.2005) <i>A. malaccensis</i> (16.02.1995)	B ^{#14} (22.08.2005) <i>A. malaccensis</i> (01.06.1997)	Asia (Indomalaysia)
<i>Aniba rosaedora</i> (syn. <i>A. duckei</i>)	Rosewood Tree, Rosenholz, Carcara, Legno di rose, Pau rosa, Palo de Rosa	II ^{#12} (23.06.2010)	B ^{#12} (15.08.2010)	Brazil, Columbia, Ecuador, French Guyana, Peru, Surinam, Venezuela
<i>Araucaria araucana</i> (syn: <i>A. imbricata</i> , <i>A. chilensis</i> , <i>A. dombeyi</i> , <i>Abies columbaria</i> , <i>Pinus araucana</i>)	Chile Pine, Monkey Puzzle, Andentanne, A. de Chile, A.espinuda, A. imbricata, Pehuen, Pino, Pinonero	I (28.06.1979) II (01.07.1975)	A (01.06.1997)	Argentina, Chile,
<i>Balmea stormiae</i> (syn. <i>B. stormae</i>)	Ayuque	I (01.07.1975)	A (01.06.1997)	El Salvador, Guatemala, Mexico
<i>Beaucarnea spp.</i>	Elefantenfußbaum, Elephant foot tree	II (02.01.2017)	II (04.02.2017)	Belize, El Salvador, Guatemala, Honduras, Mexico
<i>Bulnesia sarmientoi</i> (syn. <i>B. gancedoi</i>)	Holy wood, Palo santo, Ibiocaí	II ^{#11} (23.06.2010) III (12.02.2008)	B ^{#11} (15.08.2010) C ^{#11} (11.04.2008)	Argentina, Bolivia, Brazil, Paraguay
<i>Caesalpinia echinata</i> (syn. <i>Paulbrasilia e.</i>)	Pernambuco wood, Brazil Wood, Fernambuk, Pau Brasil	II ^{#10} (13.09.2007)	B ^{#10} (11.04.2008)	Brazil
<i>Caryocar costaricense</i>	Costus, Ajo, Aji, Ajillo, Almendrillo, Caballokup, Cagri, Chawari, Manu, Piquia, Plomillo, Sawari	II ^{#4} (18.01.1990) I (01.07.1975)	B ^{#4} (01.06.1997)	Columbia, Costa Rica, Panama, Venezuela

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 was valid the CITES Appendix)	Natural distribution
<i>Cedrela fissilis</i>	Cedro	III ^{#5} (14.10.2010) Countries of Listing: Bolivia, Brazil (09.05.2016)	C ^{#5} (26.11.2016) Country of listing: Brazil (15.12.2012) Country of listing: Bolivia (14.02.2012) D ^{\$4} (except for the population of Bolivia, which was included in annex C) (11.04.2008)	Costa Rica, Panama, South America
<i>Cedrela lilloi</i> (syn. <i>C. angustifolia</i>)	Cedro	III ^{#5} (14.10.2010) Countries of Listing: Bolivia, Brazil (09.05.2016)	C ^{#5} (26.11.2016) Country of listing: Brazil (15.12.2012) Country of listing: Bolivia (14.02.2012) D ^{\$4} (except for the population of Bolivia, which was included in annex C) (11.04.2008)	Argentina, Bolivia, Brazil, Columbia, Paraguay, Peru
<i>Cedrela montana</i>	Cedro	—	D ^{\$4} (11.04.2008)	Columbia, Ecuador, Paraguay, Venezuela
<i>Cedrela oaxacensis</i>	Cedro	—	D ^{\$4} (11.04.2008)	Mexico
<i>Cedrela odorata</i>	West Indian Cedar, Red Cedar, Spanish Cedar, Cedro, Spanische Zeder	III ^{#5} (27.04.2011) (14.10.2010, 12.01.2001) Countries of Listing: Bolivia ,Brazil In addition, the following countries have listed their national populations: Columbia, Guatemala, Peru	C ^{#5} (15.12.2012) (14.02.2012) (05.08.2001) D ^{\$4} (excepted for the populations of Bolivia, Brazil, Columbia, Guatemala, Peru, which were included in annex C) (14.02.2012, 11.04.2008)	Caribbean, Central Mexico, South America
<i>Cedrela salvadorensis</i>	Cedro	—	D ^{\$4} (11.04.2008)	Central America
<i>Cedrela tonduzii</i>	Cedro, Cedro dulce	—	D ^{\$4} (11.04.2008)	Central America

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 was valid the CITES Appendix)	Natural distribution
<p><i>Dalbergia</i> spp. All species of the Genus <i>Dalbergia</i> excepted the species <i>Dalbergia nigra</i> (Appendix I CITES/Annex A EU-Regulation) You find the listing of these species separate after the explanation of the annotations</p>	Palisander, Rosewood, Rosenholz	II ^{#15} (02.01.2017)	B ^{#15} (04.02.2017)	Africa, Asia, Middle and South America,
<p><i>Dalbergia</i> spp. All species of the population of Madagascar (at present 48 species) (5 <i>Dalbergia</i>-species of the population of Madagascar were previously protected in appendix III CITES and annex C of the EU-regulation. You find the listing of these species separate after the explanation of the annotations for the better clarity)</p>	Madagascar Rosewood, Madagascar-Palisander, Rosenholz, Palisander	II ^{#5} (12.06.2013)	B ^{#5} (10.08.2013)	Madagascar
<p><i>Dalbergia calycina</i> (syn. <i>Amnerimnon calycium</i>) Only population of Guatemala</p>		III ^{#5} (22.12.2011) Country of Listing: Madagascar (Species see below after the explanations of the annotations)	C ^{#5} (15.12.2012) (Species see below after the explanations of the annotations)	Central America, Mexico
<p><i>Dalbergia calycina</i> (syn. <i>Amnerimnon calycium</i>) Only population of Guatemala</p>		III ^{#6} (05.02.2015) Country of listing: Guatemala	C ^{#6} (26.11.2016) Country of listing: Guatemala	Central America, Mexico
<p><i>Dalbergia cochinchinensis</i> (syn. <i>Dalbergia cambodiana</i>)</p>	Thailand Rosewood, Siamese Rosewood, Phayung	II ^{#5} (12.06.2013)	B ^{#5} (10.08.2013)	Cambodia, Laos, Thailand, Vietnam
<p><i>Dalbergia cubilquitzensis</i> Only population of Guatemala</p>		III ^{#6} (05.02.2015) Country of listing: Guatemala	C ^{#6} (26.11.2016) Country of listing: Guatemala	Central America, Mexico
<p><i>Dalbergia darienensis</i> Only population of Panama</p>		III ^{#2} (22.12.2011) Country of listing: Panama	C ^{#2} (15.12.2012)	Columbia, Panama
<p><i>Dalbergia glomerata</i> (syn. <i>Amnerimnon glomeratum</i>) Only population of Guatemala</p>		III ^{#6} (05.02.2015) Country of listing: Guatemala	C ^{#6} (26.11.2016) Country of listing: Guatemala	Central America, Mexico
<p><i>Dalbergia granadillo</i> (syn. <i>Amnerimnon granadillo</i>)</p>	Granadillo Palisander, Granadillo morado	II ^{#6} (12.06.2013)	B ^{#6} (10.08.2013) D ^{S4} (11.04.2008)	Mexico

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 was valid the CITES Appendix)	Natural distribution
Dalbergia retusa (syn. <i>Amnerimnon retusum</i>)	<i>Nicaragua rosewood, Cocobolo, Palo negro, Salamanderholz</i>	<p>I^{#6} (12.06.2013)</p> <p>III^{#5} (only population of Guatemala) (12.02.2008)</p> <p>III^{#2} (only population of Panama) (22.12.2011) Countries of listing: Guatemala, Panama</p>	<p>B^{#6} (10.08.2013)</p> <p>C^{#5} (only population of Guatemala) (11.04.2008)</p> <p>C^{#2} (only population of Panama) (15.12.2012) D^{§4} (excepted for the populations, which were included in annex C) (15.12.2012) (11.04.2008)</p>	Central America, Mexico
Dalbergia stevensonii	<i>Honduras rosewood, Nagaed, Honduras Palisander</i>	<p>I^{#6} (12.06.2013)</p> <p>III^{#5} (only population of Guatemala) (12.02.2008) Country of listing: Guatemala</p>	<p>B^{#6} (10.08.2013)</p> <p>C^{#5} (only population of Guatemala) (11.04.2008) D^{§4} (excepted for the populations, which were included in annex C) (11.04.2008)</p>	Belize, Guatemala, Honduras
Dalbergia tucurensis	<i>Guatemalan rosewood</i>	<p>III^{#6} (05.02.2015) Country of listing: Guatemala (24.06.2014) Country of listing: Nicaragua</p>	<p>C^{#6} (26.11.2016) Country of listing: Guatemala (20.12.2014) Country of listing: Nicaragua</p>	Central America, Mexico
<i>Dalbergia nigra</i>	Brazilian Rosewood, Bahia Rosewood, Rio rosewood, Brasilianisches Rosenholz, Cabeuna, Cabi-una do mato, Cabiuna ra-jada, Camboriuna, Jaca-randa de Bahia, J. de indios, J. negro, J. preto, J. cavi-una, J. zinho, Palisander, Palisandro de Brasil, P. de Rio, ianowood, Rio-Palisander, Saborana, Urauna	<p>I (11.06.1992 für EU 20.07.1992)</p>	<p>A (01.06.1997)</p>	Brazil

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 was valid the CITES Appendix)	Natural distribution
<i>Diospyros spp.</i> <i>All species of the population of Madagascar (at present 215 species) Not any other population is included in the CITES appendixes respectively in the EU regulation (104 Diospyros-species of the population of Madagascar were previously protected in appendix III CITES and annex C of the EU-regulation. You find the listing of these species separate after the explanation of the annotations for the better clarity)</i>	Ebony wood, Ebenholz	II ^{#5} (12.06.2013) III ^{#5} (22.12.2011) Country of listing: Madagascar (Species see below after the explanations of the annotations)	B ^{#5} (10.08.2013) C ^{#5} (15.12.2012) (Species see below after the explanations of the annotations)	Madagascar
<i>Dipteryx panamensis</i> (syn. <i>Dipteryx oleifera</i>)	Almendro de montana, Waldmandelbaum	III (13.02.2003) Countries of listing: Costa Rica, Nicaragua	C (30.08.2003)	Nicaragua, Costa Rica, Columbia, Panama, Honduras
<i>Fitzroya cupressoides</i> (syn. <i>F. patagonica</i>)	Chilean false larch, Patagonian Cypress, Alerce, Cipres de la Patagonia, Lahuan, Lahuen, Zypresseneibe	I (22.10.1987, all Populations) II (29.07.1983, only the population of the Chilean coast, all other populations remained in I) I (01.07.1975)	A (01.06.1997)	Chile, Argentina
<i>Fraxinus mandshurica</i>	Manchurian Ash, Asiatische Schwarzesche, Mandschurische Esche,	III ^{#5} (24.06.2014) Country of listing: Russian Federation	C ^{#5} (20.12.2014)	South east Russian Federation, China, Korea, Japan
<i>Gonystylus spp.</i>	Ramin, Melawis	II ^{#4} (12.01.2005) III (06.08.2001)	B ^{#4} (22.08.2005) C (05.08.2001)	Brunei, Indonesia, Malaysia, Singapur
<i>Guaiacum spp.</i>	Bois de Gaiac, B. d. vie, B. saint, Bastard Lignumvitae, Commoner Lignumvitae, Gaiac male, G. officinale, Guayac, Guayacan genuino, G. negro, Guayaco, Madera de gaiac, Palo sano, P. santo, Pockholz, Tree of live, Wood of live, Guayacan blanco, Guayacancillo,	II ^{#2} (13.02.2003) - <i>G. officinale</i> (11.06.1992) - <i>G. sanctum</i> (01.07.1975)	B ^{#2} (30.08.2003) - <i>G. officinale</i> (01.06.1997) - <i>G. sanctum</i> (01.06.1997)	Caribbean, Columbia, Florida (USA) Mexico, Central America, Venezuela

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 was valid the CITES Appendix)	Natural distribution
<i>Guibourtia demeusei</i> (syn. <i>Copaifera demeusei</i>)	Bubinga	II ^{#15} (02.01.2017)	B ^{#15} (04.02.2017)	West Africa
<i>Guibourtia pellegriniana</i> (syn. <i>Copaifera coleosperma</i>)	Bubinga	II ^{#15} (02.01.2017)	B ^{#15} (04.02.2017)	West Africa
<i>Guibourtia tessmannii</i> (syn. <i>Copaifera tessmannii</i>)	Bubinga	II ^{#15} (02.01.2017)	B ^{#15} (04.02.2017)	West Africa
<i>Gyrinops spp</i>	Agarwood, Agarholz, Adlerholz	II ^{#14} (12.01.2005)	B ^{#14} (22.08.2005)	Indomalaysia, Laos, Sri Lanka
<i>Magnolia liliifera var. obovata</i>	Egg-Magnolia, Balukhat, Boramthuri, Champak, Pan-Pankakro, Patpatta, Safan, Siffo, Taungme Baum	III ^{#1} (16.11.1975) Country of listing: Nepal	C ^{#1} (01.06.1997)	Asia
<i>Oreomunnea pterocarpa</i> (syn: <i>Engelhardtia pterocarpa</i>)	Gavilan blanco, Gavilan	II ^{#4} (11.06.1992) I (01.07.1975)	B ^{#4} (01.06.1997)	Costa Rica, Mexico, Panama
<i>Osyris lanceolata</i> Only the populations of Burundi, Ethiopia, Kenia, Ruanda, Uganda, Tanzania; Not any other population is included in the CITES appendixes respectively in the EU regulation	African Sandalwood, Afrikanisches Sandelholz	II ^{#2} (12.06.2012)	B ^{#2} (10.08.2013)	Eastern and Southern Africa
<i>Pericopsis elata</i> (syn: <i>Afrormosia elata</i>)	Satinwood, Yellow Satinwood, Afrormosia, Awawai, Assamela, Ayin, Baracara, Bohala, Egbi, Ejen, Elo, Jatobaly do Igapo, Kokriki, Kokrodua, Mekoe, Mohole, Obang, Ole, Olel pardo, Peonio, Tento,	II ^{#5} (11.06.1992)	B ^{#5} (01.06.1997)	West- and Central Africa
<i>Pilgerodendron uviferum</i> (syn: <i>Juniperus uvifera</i> , <i>Libocedrus tetragona</i> , <i>L. uvifera</i> , <i>Thuja tetragona</i>)	Cedro, Cedar, Cipres de Chile, C. de las Guaitecas, C. de las Islas Len, Chilenische Flusszeder, Cipres, Ten	I (01.07.1975)	A (01.06.1997)	Chile, Argentina

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 was valid the CITES Appendix)	Natural distribution
<i>Pinus koraiensis</i> (syn. <i>Pinus mandschurica</i>)	Korean Pine, Korea-Kiefer	III ^{#5} (14.10.2010) Country of listing: Russian Federation	C ^{#5} (14.02.2012)	China, Japan, Korea, Russian Federation
<i>Platymiscium pleiostachyum</i>	Cristobal, Macacauba, Ñambar	II ^{#4} (18.01.1990) I (01.07.1975)	B ^{#4} (01.06.1997)	Central America
<i>Podocarpus neriifolius</i>	Brown-Pine, Yellow Wood, Black-Pine, Amanu, Banuas, Bukiti, Cachar, Cipres, Cipresillo, C. loreto, Dionai, Djamudju, Gunsu, Igem, Jamuju, Jati, Jiniari, Kuasi, Lampias, Landin, Lant, Lohansung, Malaal-maciga, Manio, Maniu, Matai, Merak, Miro, Mse, Musenene, Mushunga, Oleanderblättrige Steineibe, Pasnig, Paya, Payarmeri, Pine, Pinho bravo, P. castaneto, P. chaquirro, Podo de Asia, P. lant, Podo, Podoc, Rem-payan, Sampinur, Santada, Setada, Slusala, Thitmin, Thitmin-po	III ^{#1} (16.11.1975) Country of listing Nepal	C ^{#1} (01.06.1997)	Asia
<i>Podocarpus parlatorei</i> (syn: <i>P. angustifolia</i>)	Parlatore's Podocarp, White Pine, Manio, Monteromero, Pino blanco, Pino del cerro, P. montano, Pinoholzbaum	I (01.07.1975)	A (01.06.1997)	Argentina, Bolivia, Peru
<i>Prunus africana</i> (syn: <i>Pygeum africanum</i>)	African cherry, Red stinkwood, Afrikanisches Stinkholz, Alumty, Gwane, Lluo, Mgambo, Mkomohoyo, Mseneo, Muiri, Ntasea, Pygeum, Tenduet, Wotangué,	II ^{#4} (16.02.1995)	B ^{#4} (01.06.1997)	Africa
<i>Pterocarpus erinaceus</i>	African Rosewood, Pau Sangué, Vene	II (02.01.2017) III ^{#1} (09.05.2016) Country of listing: Senegal	B (04.02.2017) C ^{#1} (26.11.2016) Country of listing: Senegal	Central Africa West Africa

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 was valid the CITES Appendix)	Natural distribution
<i>Pterocarpus santalinus</i>	Red sandal Wood, Red-sanders, Agar, Agar-gandhamu, Atti, Chandanum, Honne, Lal Chan, Lalchandan, Patrangam, Raktachandan, Raktagandhamu, Ratamjali, Rotes Sandelholz, Sandalo rojo, Sivappu, Tila-paranni, Yerra	II ^{#7} (16.02.1995)	B ^{#7} (01.06.1997)	India, Sri Lanka
<i>Quercus mongolica</i>	Mongolian oak, Mongolische Eiche	III ^{#5} (24.06.2014) Country of listing: Russian Federation	C ^{#5} (20.12.2014)	Russian Federation (East Siberia), Japan, China, Korea, Mongolia
<i>Swietenia humilis</i> (syn: <i>S. bijuga</i>, <i>S. cirrhata</i>)	Mexican mahogany, Honduras mahogany, Caoba de Honduras, Cao-bach, Cobano, Cuabilla, Flor de venadillo, Gateado Mahagonibaum, Guayach, Mabu, Mova, Palo de Zopilote, Venadillo, Zapaton	II ^{#4} (01.07.1975)	B ^{#4} (01.06.1997)	Central America
<i>Swietenia macrophylla</i> (syn: <i>S. candollei</i>, <i>S. belizensis</i>,) Only populations of the Neotropics = countries which belong to the tropical and subtropical regions of Central and South America, including Mexico and the Caribbean	American mahogany, Bigleaf mahogany, Brazilian mahogany, Acajou amerique, Aguano, Amerikanischer Mahagoni, Araputanga, Caoba de Centro America, Caoba de hoja ancha, Caoba de Honduras, Caoba del Atlantico, Caoba del sur, Caoba, Cobillo, Cobano, Gateado, Gateads, Mahogany, Maraboliviana, Mara, Mogno, Mogu, New World Mahogany, Orura, Swietenie, Venadillo, Zapaton, Zopilote	II ^{#6} (15.11.2003) III (16.11.1995)	B ^{#6} (30.08.2003) C (01.06.1997)	Central and South America

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 was valid the CITES Appendix)	Natural distribution
<i>Swietenia mahagoni</i> (syn: <i>Cedrela mahagoni</i> , <i>Cedrus mahagoni</i> , <i>S. mahagoni</i> , <i>S. fabrilis</i> , <i>S. acutifolia</i> , <i>S.m.</i> <i>var.praecociflora</i>)	Cuban mahogany, West Indian mahogany, Acajou de Cuba, Acajou de Santo Domingo, Aguano, Amerikanisches Mahagoni, Caoba de Cuba, Caoba española, Caoba, Caobilla, Chiculte, Coabillo, Cobano, Dominican mahagoni, Echter Mahagoni, Gateado, jamaican mahagoni, Madeira, Mahog, Mahogany, Mogno, Orura	II ^{#5} (11.06.1992)	B ^{#5} (01.06.1997)	Caribbean region, Florida (USA), Northern South America
<i>Taxus chinensis</i> and infraspecific taxa of this species (syn. <i>T. wallichiana</i> var. <i>chinensis</i>)	Chinese Yew, Chinesische Eibe	II ^{#2} (12.01.2005)	B ^{#2} (22.08.2005)	Asia
<i>Taxus cuspidata</i> and infraspecific taxa of this species	Japanese Yew, Japanische Eibe	II ^{#2} (12.01.2005)	B ^{#2} und (5) (22.08.2005)	Asia
<i>Taxus fuana</i> and infraspecific taxa of this species		II ^{#2} (12.01.2005)	B ^{#2} (22.08.2005)	Asia
<i>Taxus sumatrana</i> and infraspecific taxa of this species (syn. <i>Lephalotaxus sumatrana</i>)		II ^{#2} (12.01.2005)	B ^{#2} (22.08.2005)	Asia
<i>Taxus wallichiana</i> (syn: <i>T.baccata</i> ssp. <i>wallichiana</i>)	Himalayan Yew, Barme salle, Basmi, Bhirmie, Birmichogam, Birmi, Brahmi, Burmie, Cheongbu, Dhunu, Ding-sableh, Gallu, lichujhau, Manduparni, Postil, Talis patra, Tcheiraygulab, Teheiraysulah, Tejo de Asia, Tejo del Himalaya, Thuner, Thuno, Tunki, Wallichs Eibe, Zirnupbirmi	II ^{#2} (16.02.1995)	B ^{#2} (01.06.1997)	Asia
<i>Tetracentron sinense</i>	Ährenblütiger Scheinjudasbaum, Tetracentron	III ^{#1} (16.11.1975) Country of listing: Nepal	C ^{#1} (01.06.1997)	Bhutan, China, India, Myanmar, Nepal, Vietnam

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Explanation of the annotations

#1

Designates all parts and derivatives, except:

- (a) seeds, spores and pollen (including pollinia);
- (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- (c) cut flowers of artificially propagated plants; and
- (d) fruits and parts and derivatives thereof of artificially propagated plants of the genus *Vanilla*.

#2

Designates all parts and derivatives, except:

- (a) seeds and pollen; and
- (b) finished products packaged and ready for retail trade.

#4

Designates all parts and derivatives, except:

- (a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;
- (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- (c) cut flowers of artificially propagated plants;
- (d) fruits and parts and derivatives thereof of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
- (e) stems, flowers, and parts and derivatives thereof of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
- (f) finished products of *Euphorbia antisiphilitica* packaged and ready for retail trade.

#5

Designates logs, sawn wood and veneer sheets.

#6

Designates logs, sawn wood, veneer sheets and plywood.

#7

Designates logs, wood-chips, powder and extracts. (until 12.09.2007 this annotation read as follows: Designates logs, wood-chips and unprocessed broken material; for the European union valid until 10.04.2008)

#10

Designates logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.

#11

Designates logs, sawn wood, veneer sheets, plywood, powder and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

(until 01.01.2017 this annotation read as follows: Designates logs, sawn wood, veneer sheets, plywood, powder and extracts.

#12

Designates logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

#14

Designates all parts and derivatives, except:

- (a) seeds and pollen;
- (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- (c) fruits;
- (d) leaves;
- (e) exhausted agarwood powder, including compressed powder in all shapes;
- (f) finished products packaged and ready for retail trade, this exemption does not apply to wood chips, beads, prayer beads and carvings. (until 01.01.2017 letter (f) read as follows: finished products packaged and ready for retail trade, this exemption does not apply to beads, prayer beads and carvings.

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

#15

Designates all parts and derivatives, except:

- a) leaves, flowers, pollen, fruit, and seeds;
- b) non-commercial trade of a maximum total weight of 10 kg per shipment;
- c) parts and derivatives of *Dalbergia cochinchinensis* which are covered by Annotation #4;
- d) parts and derivatives of *Dalbergia* spp. originating and exported from Mexico which are covered by Annotation #6.

#16

Designates seeds, fruits, oil and live plants.

§4

Logs, sawn wood and veneer sheets

(5)

Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text "artificially propagated", are not subject to the provisions of the Convention.

Alphabetical order of the rosewood species (*Dalbergia* spp.), have been listed since 02.01.2017 in Appendix II^{#15} CITES and since 04.02.2017 in Annex B^{#15} VO(EC) 338/97. Due to constantly changing of taxonomic and systematic findings, the list cannot be regarded as complete and conclusive. Listed are all species of the genus *Dalbergia*.

The species *Dalbergia nigra* is not mentioned here because it is excluded from the *Dalbergia* spp. listing and is listed in Appendix I CITES and Annex A of the Regulation (EC) 338/97.

Dalbergia spp. (except the species *Dalbergia nigra*)

Dalbergia abbreviate, *Dalbergia abrahamii*, *Dalbergia acariiantha*, *Dalbergia acuta*, *Dalbergia acutifoliolata*, *Dalbergia adami*, *Dalbergia afzeliana*, *Dalbergia agudelo*, *Dalbergia ajudana*, *Dalbergia albertisii*, *Dalbergia albiflora*, *Dalbergia altissima*, *Dalbergia amazonica*, *Dalbergia amerimmon*, *Dalbergia andapensis*, *Dalbergia arbutifolia*, *Dalbergia arbutifolia* subsp. *Aberrans*, *Dalbergia armata*, *Dalbergia assamica*, *Dalbergia aurea*, *Dalbergia bakeri*, *Dalbergia balansae*, *Dalbergia bariensis*, *Dalbergia baronii*, *Dalbergia bathiei*, *Dalbergia beccarii*, *Dalbergia beddomei*, *Dalbergia benthamii*, *Dalbergia berteroi*, *Dalbergia bignoniae*, *Dalbergia bintuluensis*, *Dalbergia boehmii* subsp. *Stuhlmannii*, *Dalbergia boehmii*, *Dalbergia bojeri*, *Dalbergia boniana*, *Dalbergia borneensis*, *Dalbergia brachystachya*, *Dalbergia bracteolate*, *Dalbergia brasiliensis*, *Dalbergia brownie*, *Dalbergia burmanica*, *Dalbergia calderonii*, *Dalbergia calycina*, *Dalbergia cambodiana*, *Dalbergia campeonii*, *Dalbergia cana*, *Dalbergia candenatensis*, *Dalbergia canescens*, *Dalbergia capuronii*, *Dalbergia carringtoniana*, *Dalbergia catingicola*, *Dalbergia caudate*, *Dalbergia cearensis*, *Dalbergia chapelieri*, *Dalbergia chlorocarpa*, *Dalbergia chontalensis*, *Dalbergia clarkei*, *Dalbergia cochinchinensis*, *Dalbergia commiphoroides*, *Dalbergia comorensis*, *Dalbergia confertiflora*, *Dalbergia congensis*, *Dalbergia congesta*, *Dalbergia congestiflora*, *Dalbergia coromandeliana*, *Dalbergia crispa*, *Dalbergia cubilquitzensis*, *Dalbergia cucullata*, *Dalbergia cuia-bensis*, *Dalbergia cultrate*, *Dalbergia cumingiana*, *Dalbergia curtisii*, *Dalbergia cuscatlanica*, *Dalbergia dalzielii*, *Dalbergia darienensis*, *Dalbergia davidii*, *Dalbergia debilis*, *Dalbergia decipularis*, *Dalbergia delphinensis*, *Dalbergia densa*, *Dalbergia densiflora*, *Dalbergia dialoides*, *Dalbergia discolor*, *Dalbergia dongnaiensis*, *Dalbergia duarensis*, *Dalbergia duperreana*, *Dalbergia dyeriana*, *Dalbergia ealaensis*, *Dalbergia ecastaphyllum*, *Dalbergia elegans*, *Dalbergia emirnensis*, *Dalbergia enneaphylla*, *Dalbergia entadoides*, *Dalbergia eremicola*, *Dalbergia ernest-ulei*, *Dalbergia errans*, *Dalbergia erubescens*, *Dalbergia falcata*, *Dalbergia fischeri*, *Dalbergia floribunda*, *Dalbergia florifera*, *Dalbergia foliolosa*, *Dalbergia foliosa*, *Dalbergia forbesii*,

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Continuation *Dalbergia* spp. (except the species *Dalbergia nigra*)

Dalbergia fouilloyana, *Dalbergia frutescens*, *Dalbergia frutescens* var. *tomentosa*, *Dalbergia funera*, *Dalbergia fusca*, *Dalbergia gardneriana*, *Dalbergia gentilii*, *Dalbergia gilbertii*, *Dalbergia glaberrima*, *Dalbergia glabra*, *Dalbergia glandulosa*, *Dalbergia glaucescens*, *Dalbergia glaucocarpa*, *Dalbergia glaziovii*, *Dalbergia glomerata*, *Dalbergia godefroyi*, *Dalbergia gossweileri*, *Dalbergia gracilis*, *Dalbergia granadillo*, *Dalbergia grandibracteata*, *Dalbergia grandistipula*, *Dalbergia greveana*, *Dalbergia guttembergii*, *Dalbergia hainanensi*, *Dalbergia hancei*, *Dalbergia havilandii*, *Dalbergia henryana*, *Dalbergia heudelotii*, *Dalbergia hiemalis*, *Dalbergia hildebrandtii* var. *scorpioides.*, *Dalbergia hildebrandtii*, *Dalbergia hirticalyx*, *Dalbergia horrida*, *Dalbergia horrida* var. *glabrescens*, *Dalbergia hortensis*, *Dalbergia hoseana*, *Dalbergia hostilis*, *Dalbergia hullettii*, *Dalbergia humbertii*, *Dalbergia hupeana*, *Dalbergia hygrophila*, *Dalbergia intermedia*, *Dalbergia intibucana*, *Dalbergia inundata*, *Dalbergia iquitosensis*, *Dalbergia jaherii*, *Dalbergia jingxiensis*, *Dalbergia junghuhnii*, *Dalbergia kerrii*, *Dalbergia kingiana*, *Dalbergia kisantuensis*, *Dalbergia kostermansii*, *Dalbergia kunstleri*, *Dalbergia kurzii*, *Dalbergia lacei*, *Dalbergia lacteal*, *Dalbergia lakhonensis*, *Dalbergia lanceolaria*, *Dalbergia lanceolaria* subsp. *Paniculata*, *Dalbergia lanceolaria* var. *maymyensis*, *Dalbergia lastoursvillensis*, *Dalbergia lateriflora*, *Dalbergia latifolia*, *Dalbergia laxiflora*, *Dalbergia lemurica*, *Dalbergia librevillensis*, *Dalbergia longepedunculata*, *Dalbergia louisii*, *Dalbergia louvelii*, *Dalbergia luteola*, *Dalbergia macrosperma*, *Dalbergia madagascariensis* var. *poolii*, *Dalbergia madagascariensis*, *Dalbergia malabarica*, *Dalbergia malangensis*, *Dalbergia mammosa*, *Dalbergia marcaniana*, *Dalbergia maritima*, *Dalbergia martini*, *Dalbergia mayumbensis*, *Dalbergia melanocardium*, *Dalbergia melanoxylon*, *Dalbergia menoeides*, *Dalbergia Mexicana*, *Dalbergia microphylla*, *Dalbergia millettii*, *Dalbergia millettii* var. *mimosoides*, *Dalbergia mimosella*, *Dalbergia mimosoides*, *Dalbergia miscolobium*, *Dalbergia modesta*, *Dalbergia mollis*, *Dalbergiamollis* var. *menabeensis*, *Dalbergia monetaria*, *Dalbergia monophylla*, *Dalbergia monticola*, *Dalbergia multijuga*, *Dalbergia negrensis*, *Dalbergia neoperrieri*, *Dalbergia ngounyensis*, *Dalbergia nitida*, *Dalbergia nitidula*, *Dalbergia noldeae*, *Dalbergia normandii*, *Dalbergia oblongifolia*, *Dalbergia obovate*, *Dalbergia obtusifolia*, *Dalbergia odorifera*, *Dalbergia oligophylla*, *Dalbergia oliveri*, *Dalbergia orientalis*, *Dalbergia ovata*, *Dalbergia ovata* var. *glomeriflora*, *Dalbergia pachycarpa*, *Dalbergia palo-escrito*, *Dalbergia parviflora*, *Dalbergia paucifoliolata*, *Dalbergia peguensis*, *Dalbergia peishaensis*, *Dalbergia peltieri*, *Dalbergia pervillei*, *Dalbergia pierreana*, *Dalbergia pinnata*, *Dalbergia pinnata* var. *acaciifolia*, *Dalbergia pluriflora*, *Dalbergia polyadelpa*, *Dalbergia polyphylla*, *Dalbergia prainii*, *Dalbergia pseudo-ovata*, *Dalbergia pseudo-sissoo*, *Dalbergia pseudobaronii*, *Dalbergia purpurascens*, *Dalbergia reniformis*, *Dalbergia reticulate*, *Dalbergia retusa*, *Dalbergia revolute*, *Dalbergia rhachiflexa*, *Dalbergia richardsii*, *Dalbergia riedelii*, *Dalbergia rimosa*, *Dalbergia rimosa* var. *foliacea*, *Dalbergia riparia*, *Dalbergia rostrate*, *Dalbergia rubiginosa*, *Dalbergia ruddiae*, *Dalbergia rufa*, *Dalbergia rugose*, *Dalbergia sacerdotum*, *Dalbergia salvanaturae*, *Dalbergia sambesiaca*, *Dalbergia sampaioana*, *Dalbergia sandakanensis*, *Dalbergia saxatilis*, *Dalbergia saxatilis* var. *preussii*, *Dalbergia scortechinii*, *Dalbergia sericea*, *Dalbergia setifera*, *Dalbergia simpsonii*, *Dalbergia sissoides*, *Dalbergia sissoo*, *Dalbergia spinose*, *Dalbergia spruceana*, *Dalbergia stenophylla*, *Dalbergia stercoracea*, *Dalbergia stevensonii*, *Dalbergia stipulacea*, *Dalbergia suaresensis*, *Dalbergia subcymosa*, *Dalbergia succirubra*, *Dalbergia teijsmannii*, *Dalbergia teixeirae*, *Dalbergia thomsonii*, *Dalbergia thorelii*, *Dalbergia tilarana*, *Dalbergia tinneveliense*, *Dalbergia tonkinensis*, *Dalbergia travancorica*, *Dalbergia trichocarpa*, *Dalbergia tricolor*, *Dalbergia tsaratananensis*, *Dalbergia tsiandalana*, *Dalbergia tsoi*, *Dalbergia tucurensis*, *Dalbergia uarandensis*, *Dalbergia urschii*, *Dalbergia vacciniifolia*, *Dalbergia velutina*, *Dalbergia velutina* var. *Succirubra*, *Dalbergia verrucosa*, *Dalbergia viguieri*, *Dalbergia villosa*, *Dalbergia villosa* var. *barretoana*, *Dalbergia volubilis*, *Dalbergia wattii*, *Dalbergia xerophila*, *Dalbergia ximengensis*, *Dalbergia yunnanensis*, *Dalbergia yunnanensis* var. *collettii*

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Alphabetical order of the ebony species (*Diospyros spp.*) and rosewood species (*Dalbergia spp.*) of the Madagascan population which were listed from 22.12.2011 until 11.06.2013 in appendix III^{#5} CITES and from 15.12.2012 until 09.08.2013 in annex C^{#5} of the Regulation (EC) 338/97. Due to constantly changing of taxonomic and systematic findings, the list cannot be regarded as complete and conclusive. All species of the genera *Diospyros spp.* of the Madagascan population have been listed since 12.06.2013 in appendix II^{#5} CITES and since 10.08.2013 in annex B^{#5} of the Regulation (EC) 338/97. All rosewood species (*Dalbergia spp.*) of the Madagascan population were listed in Appendix II^{#5} CITES from 12.06.2013 until 01.01.2017 and were listed from 10.08.2013 until 03.02.2017 in Annex B^{#5} of the Regulation (EC) 338/97. All rosewood species (*Dalbergia spp.*) of the Madagascan Population have been listed in II^{#15} CITES since 02.01.2017 and in Annex B^{#15} VO(EG) 338/97 since 04.02.2017 within the scope of the *Dalbergia spp.* listing.

Diospyros spp.

Diospyros aculata, *Diospyros analamerensis*, *Diospyros anosivolensis*, *Diospyros baroniana*, *Diospyros bemarivensis*, *Diospyros bemieri*, *Diospyros bemieriana*, *Diospyros bezofensis*, *Diospyros boinensis*, *Diospyros boivinii* (incl. var. *manon-garivensis*), *Diospyros calophylla*, *Diospyros cauchiana*, *Diospyros cinnamomoides*, *Diospyros clusiifolia*, *Diospyros conifer*, *Diospyros coursiana*, *Diospyros cupulifera*, *Diospyros danguyana*, *Diospyros decaryana*, *Diospyros dycory-pheoides* (incl. var. *meridionalis*), *Diospyros ebenifera*, *Diospyros enervis*, *Diospyros erinacea*, *Diospyros erythrosperma*, *Diospyros filipes*, *Diospyros fuscovolutina*, *Diospyros geayana*, *Diospyros gneissicola*, *Diospyros gracilipes* (incl. var. *lecomtei*, *parvifolia*, *velutipes*, *subevernis*), *Diospyros greveana* (incl. var. *boinensis*), *Diospyros haplostylis* (incl. var. *hildebrandtii*), *Diospyros hazomainty*, *Diospyros hemiteles*, *Diospyros heterosepala*, *Diospyros humbertiana*, *Diospyros humbertii*, *Diospyros implexicalyx*, *Diospyros ketsensis*, *Diospyros laevis*, *Diospyros lamiana*, *Diospyros lanceolata*, *Diospyros latispathulata*, *Diospyros lenticellata*, *Diospyros leucomelas*, *Diospyros leucocalyx*, *Diospyros lokohensis*, *Diospyros louveli*, *Diospyros madagascariensis*, *Diospyros madecassa*, *Diospyros magnifolia*, *Diospyros manampetsae*, *Diospyros mangabensis*, *Diospyros mangorensis*, *Diospyros mapingo*, *Diospyros masoalensis*, *Diospyros mcphersonii*, *Diospyros meeusiana*, *Diospyros microrhombus*, *Diospyros montigena*, *Diospyros myriophylla*, *Diospyros myrtifolia*, *Diospyros myrtilloides*, *Diospyros natalensis*, *Diospyros neraudii*, *Diospyros nigricans*, *Diospyros nodosa*, *Diospyros obducta*, *Diospyros occlusa*, *Diospyros olacinoides*, *Diospyros onivensis*, *Diospyros parifolia*, *Diospyros parvifolia*, *Diospyros perreticulata*, *Diospyros perrieri*, *Diospyros pervillei*, *Diospyros platycalyx*, *Diospyros pruinosa*, *Diospyros quartzitarium*, *Diospyros quercina*, *Diospyros revaughanii*, *Diospyros rubrolanata*, *Diospyros sakalavarum* (incl. var. *mollifolia*), *Diospyros sclerophylla*, *Diospyros seychellarum*, *Diospyros sphaerosepala* (incl. var. *calyculata*), *Diospyros stenocarpa*, *Diospyros striicalyx*, *Diospyros subacuta*, *Diospyros subenervis*, *Diospyros subfalciformis*, *Diospyros subsessifolia*, *Diospyros subtrinervis*, *Diospyros tampinensis*, *Diospyros tetraceros*, *Diospyros tetrapoda*, *Diospyros torquata* (incl. var. *mabaoides*), *Diospyros toxicaria*, *Diospyros tropophylla*, *Diospyros urschii*, *Diospyros velutipes*, *Diospyros vera*, *Diospyros vescoi* (incl. var. *mandrarenensis*), *Diospyros viguieriana*

Dalbergia spp. species of the Madagascan population

Dalbergia abrahamii, *Dalbergia andapensis*, *Dalbergia aurea*, *Dalbergia baronii*, *Dalbergia bathiei*, *Dalbergia bojeri*, *Dalbergia brachystachya*, *Dalbergia bracteolata*, (Syn : *D.grandidieri* Baill.= *D.richardii* Baill), *Dalbergia campenonii*, *Dalbergia capuronii*, *Dalbergia chapelieri* (Syn: *D.pterocarpiflora* Baker), *Dalbergia chlorocarpa*, *Dalbergia davidii*, *Dalbergia delphinensis*, *Dalbergia emimensis*, *Dalbergia erubescens*, *Dalbergia gautieri*, *Dalbergia glaberrima*, *Dalbergia glaucocarpa*, *Dalbergia greveana* (Syn : *D.ambongoensis*. = *D.eurybothrya* = *D.ikopensis* = *D.isaloensis*. = *D.myriabotrys*), *Dalbergia hildebrandtii* (Syn : *D.boivinii* Baill.= *D. scorpioides* Baker), *Dalbergia hirticalyx*, *Dalbergia humbertii*, *Dalbergia lemurica*, *Dalbergia louvelii*, *Dalbergia madagascariensis*, *Dalbergia manongarivensis*, *Dalbergia maritima*, *Dalbergia masoalensis*, *Dalbergia mollis* (Syn : *D. chermesonii*), *Dalbergia monticola*, *Dalbergia neoperrieri*, *Dalbergia normandii*, *Dalbergia occulta*, *Dalbergia orientalis*, *Dalbergia peltieri* (Syn: *D. microcarpa*), *Dalbergia pervillei* (Syn : *D. densicoma*. = *D. obtusa*), *Dalbergia pseudobaronii* , *Dalbergia pseudoviguieri* , *Dalbergia purpurascens*, *Dalbergia suaresensis* (Syn : *D.bernieri*), *Dalbergia trichocarpa* (Syn : *D.boinensis* = *D. perrieri*), *Dalbergia tricolor*, *Dalbergia tsaratananensis*, *Dalbergia tsiandalana*, *Dalbergia urschii*, *Dalbergia viguieri*, *Dalbergia xerophila*

List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Dalbergia spp. species of the Madagascan population which were listed from 22.12.2011 until 11.06.2013 in appendix III#5 CITES and from 15.12.2012 until 09.08.2013 in annex C#5 of the Regulation (EC) 338/97. All rosewood species (Dalbergia spp.) of the Madagascan Population have been listed in II#15 CITES since 02.01.2017 and in Annex B#15 VO(EG) 338/97 since 04.02.2017 within the scope of the Dalbergia spp. listing. *Dalbergia louvelii*, *Dalbergia monticola*, *Dalbergia normandii*, *Dalbergia purpurascens*, *Dalbergia xerophila*