

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

### **Status: 26.11.2019 (CITES), 19.01.2022 (EU)**

In the table on the following pages all currently protected tree species are listed for the above-mentioned status. The species are sorted alphabetically by scientific species name. If the protection status is associated with an annotation, this is indicated by the hash tag '#' and a number next to the protection status. The explanation of each annotation can be found at the end of the table.

The species protection regulations depend on the appropriate protection status and, if applicable, on the associated annotation. For this purpose, please note exclusively the protection status of the respective species according to Regulation (EC) No. 338/97, which you can find in the column 'EU protection'. The date in brackets below the protection status refers to the day from which the protection status became legally effective. If a protection status has a history, the protection status that is no longer valid is displayed in gray under the current protection status. This information is required when it has to be proved that the wood in question originated before the species was first listed in CITES. (pre-convention).

For reasons of overview, the individual species of the genera *Dalbergia spp.* (rosewood), *Diospyros spp.* (ebony) and *Cedrela spp.* (cedar) are listed at the end of the table.

We have described the species protection provisions for the import or re-export of wood of protected tree species in detail on our website.

(Link: <https://www.bfn.de/themen/cites/arteninfos/einfuhr-von-holz-geschuetzter-arten.html>).

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

**Update: 26.11.2019 CITES, XX.XX.XXXX EU (Explanation of the annotations at the end of the list); History of the protection status is written in grey (not more valid)**

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<b><i>Abies guatemalensis</i></b> (syn. <i>A. tacanensis</i> )	Gautemalan Fir, Mexican Fir, Pinbete, Abeto mexicana, Guayami, Hallarin, Mexican fir, Oyamel, Pinabete, Plumajatzin, Plumajillo de montana	I (01.07.1975)	A (01.06.1997)	El Salvador, Guatemala, Honduras, Mexico
<b><i>Adansonia grandidieri</i></b>	Grandidier's Baobab	II#16 (02.01.2017)	B#16 (04.02.2017)	Madagascar
<b><i>Aniba rosaeodora</i></b> (syn. <i>A. duckei</i> )	Rosewood Tree, Rosenholz, Carcara, Legno di rose, Pau rosa, Palo de Rosa	II#12 (23.06.2010)	B#12 (15.08.2010)	Brazil, Columbia, Ecuador, French Guyana, Peru, Surinam, Venezuela
<b><i>Aquilaria spp.</i></b>	Agar wood, Aloe wood, Eagle wood, Agalloco, Agaru, Aggalichandanam, Agru, Calambac, Calamboe, Gaharu, Gia, Hasi, Kalambak, Karas, Klaw, Lignaloos, Maderade Agar, Paradies-holz, Sasi, Tugge, Ugar	II#14 (12.01.2005) <i>A. malaccensis</i> (16.02.1995)	B#14 (22.08.2005) <i>A. malaccensis</i> (01.06.1997)	Asia (Indomalesia)
<b><i>Araucaria araucana</i></b> (syn: <i>A. imbricata</i> , <i>A. chilensis</i> , <i>A. dombeyi</i> , <i>Abies columbaria</i> , <i>Pinus araucana</i> )	Chile Pine, Monkey Puzzle, Andentanne, A. de Chile, A. espinuda, A. imbricata, Pehuen, Pino, Pinonero	I (28.06.1979) II (01.07.1975)	A (01.06.1997)	Argentina, Chile,
<b><i>Aucoumea klaineana</i></b>	Angouma, Angum, Gabun-Mahagoni, Moukoumi, Gaboon, Okoumé, Okaka, Ongoumi, Zonga	----	D§5 (19.01.2022)	West- and Central Gabon, Equatorial Guinea, Congo, Cameroon
<b><i>Baillonella toxisperma</i></b>	Adjap, African pear wood, Ayap, Dimpampi, Muamba jaune	----	D§5 (19.01.2022)	Central- and West Africa
<b><i>Balmea stormiae</i></b> (syn. <i>B. stormae</i> )	Ayuque	I (01.07.1975)	A (01.06.1997)	El Salvador, Guatemala, Mexico
<b><i>Beaucarnea spp.</i></b>	Elefantenfußbaum, Elephant foot tree	II (02.01.2017)	II (04.02.2017)	Belize, El Salvador, Guatemala, Honduras, Mexico
<b><i>Boswellia spp.</i></b>	Weihrauch	----	D§4 (19.01.2022)	Africa, India, Pakistan, Oman, Yemen

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<b><i>Bulnesia sarmientoi</i></b> (syn. <i>B. gancedoi</i> )	Holy wood, Palo santo, Ibi-oaí	II#11 (23.06.2010) III (12.02.2008)	B#11 (15.08.2010) C#11 (11.04.2008)	Argentina, Bolivia, Brazil, Paraguay
<b><i>Caryocar costaricense</i></b>	Costus, Ajo, Aji, Ajillo, Al-mendrillo, Caballokup, Cagri, Chawari, Manu, Piquia, Plomillo, Sawari	II#4 (18.01.1990) I (01.07.1975)	B#4 (01.06.1997)	Columbia, Costa Rica, Panama, Venezuela
<b><i>Cedrela spp.</i></b> (Only populations of the Neotropics = countries which belong to the tropical and subtropical regions of Central and South America, including Mexico and the Caribbean) All species of the Genus <i>Cedrela</i> . For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations.	Cedro, Cedar	II#6 (28.08.2020)	B#6 (28.08.2020)	Central and South America
<i>Cedrela fissilis</i>	<i>Cedro, Cedar</i>	III#5 (14.10.2010) Countries of Listing: Bolivia, Brazil (09.05.2016)	C#5 (26.11.2016) Country of listing: Brazil (15.12.2012) Country of listing: Bolivia (14.02.2012) D§4 (except for the population of Bolivia, which was included in annex C) (11.04.2008)	Costa Rica, Panama, South America
<i>Cedrela lilloi</i> (from 28.08.2020 <i>Cedrela angustifolia</i> syn. <i>Cedrela lilloi</i> )	<i>Cedro, Cedar</i>	III#5 (14.10.2010) Countries of Listing: Bolivia, Brazil (09.05.2016)	C#5 (26.11.2016) Country of listing: Brazil (15.12.2012) Country of listing: Bolivia (14.02.2012) D§4 (except for the population of Bolivia, which was included in annex C) (11.04.2008)	Argentina, Bolivia, Brazil, Columbia, Paraguay, Peru
<i>Cedrela montana</i>	<i>Cedro, Cedar</i>	—	D§4 (11.04.2008)	Columbia, Ecuador, Paraguay, Venezuela

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<i>Cedrela oaxacensis</i>	<i>Cedro, Cedar</i>	—	D <sup>S4</sup> (11.04.2008)	Mexico
<i>Cedrela odorata</i>	<i>West Indian Cedar, Red Cedar, Spanish Cedar, Cedro, Spanische Zeder</i>	III <sup>#5</sup> (27.04.2011) (14.10.2010, 12.01.2001)  <i>Countries of Listing: Bolivia, Brazil In addition, the following countries have listed their national populations: Columbia, Guatemala, Peru</i>	C <sup>#5</sup> (15.12.2012) (14.02.2012) (05.08.2001)  D <sup>S4</sup> (excepted for the populations of Bolivia, Brazil, Columbia, Guatemala, Peru, which were included in annex C) (14.02.2012, 11.04.2008)	Caribbean, Central Mexico, South America
<i>Cedrela salvadorensis</i>	<i>Cedro, Cedar</i>	—	D <sup>S4</sup> (11.04.2008)	Central America
<i>Cedrela tonduzii</i>	<i>Cedro, Cedro dulce, Cedar</i>	—	D <sup>S4</sup> (11.04.2008)	Central America
<b><i>Dalbergia nigra</i></b>	Brazilian Rosewood, Bahia Rosewood, Rio rosewood, Brasilianisches Rosenholz, Cabeuna, Cabi-una do mato, Cabiuna rajada, Camboriuna, Jaca-randa de Bahia, J. de indios, J. negro, J. preto, J. cavi-una, J. zinho, Palisander, Palisandro de Brasil, P. de Rio, ianowood, Rio-Palisander, Saborana, Urauna	I (11.06.1992 für EU 20.07.1992)	A (01.06.1997)	Brazil
<b><i>Dalbergia spp.</i></b> All species of the Genus <i>Dalbergia</i> excepted the species <i>Dalbergia nigra</i> (Appendix I CITES/Annex A EU-Regulation) For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations.	Palisander, Rosewood, Rosenholz	II <sup>#15</sup> (02.01.2017)	B <sup>#15</sup> (04.02.2017)	Africa, Asia, Middle and South America,

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<p><b>Dalbergia spp.</b> All species of the population of Madagascar (at present 48 species) (5 <i>Dalbergia</i>-species of the population of Madagascar were previously protected in appendix III CITES and annex C of the EU-regulation. You find the listing of these species separate after the explanation of the annotations for the better clarity)</p>	<p>Madagascar Rosewood, Madagascar-Palisander, Rosenholz, Palisander</p>	<p>I<sup>#5</sup> (12.06.2013)</p> <p>III<sup>#5</sup> (22.12.2011) Country of Listing: Madagascar (Species see below after the explanations of the annotations)</p>	<p>B<sup>#5</sup> (10.08.2013)</p> <p>C<sup>#5</sup> (15.12.2012) (Species see below after the explanations of the annotations)</p>	<p>Madagascar</p>
<p><b>Dalbergia calycina</b> (syn. <i>Amnerimnon calycium</i>) Only population of Guatemala</p>		<p>III<sup>#6</sup> (05.02.2015) Country of listing: Guatemala</p>	<p>C<sup>#6</sup> (26.11.2016) Country of listing: Guatemala</p>	<p>Central America, Mexico</p>
<p><b>Dalbergia cochinchinensis</b> (syn. <i>Dalbergia cambodiana</i>)</p>	<p>Thailand Rosewood, Siamese Rosewood, Phayung</p>	<p>I<sup>#5</sup> (12.06.2013)</p>	<p>B<sup>#5</sup> (10.08.2013)</p>	<p>Cambodia, Laos, Thailand, Vietnam</p>
<p><b>Dalbergia cubilquitzensis</b> Only population of Guatemala</p>		<p>III<sup>#6</sup> (05.02.2015) Country of listing: Guatemala</p>	<p>C<sup>#6</sup> (26.11.2016) Country of listing: Guatemala</p>	<p>Central America, Mexico</p>
<p><b>Dalbergia darienensis</b> Only population of Panama</p>		<p>III<sup>#2</sup> (22.12.2011) Country of listing: Panama</p>	<p>C<sup>#2</sup> (15.12.2012)</p>	<p>Columbia, Panama</p>
<p><b>Dalbergia glomerata</b> (syn. <i>Amnerimnon glomeratum</i>) Only population of Guatemala</p>		<p>III<sup>#6</sup> (05.02.2015) Country of listing: Guatemala</p>	<p>C<sup>#6</sup> (26.11.2016) Country of listing: Guatemala</p>	<p>Central America, Mexico</p>
<p><b>Dalbergia granadillo</b> (syn. <i>Amnerimnon granadillo</i>)</p>	<p>Granadillo Palisander, Granadillo morado</p>	<p>I<sup>#6</sup> (12.06.2013)</p>	<p>B<sup>#6</sup> (10.08.2013) D<sup>§4</sup> (11.04.2008)</p>	<p>Mexico</p>

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<b>Dalbergia retusa</b> (syn. <i>Amnerimnon retusum</i> )	<i>Nicaragua rosewood, Cocobolo, Palo negro, Salamanderholz</i>	II#6 (12.06.2013)  III#5 (only population of Guatemala) (12.02.2008) III#2 (only population of Panama) (22.12.2011) Countries of listing: Guatemala, Panama	B#6 (10.08.2013)  C#5 (only population of Guatemala) (11.04.2008) C#2 (only population of Panama) (15.12.2012) D§4 (excepted for the populations, which were included in annex C) (15.12.2012) (11.04.2008)	Central America, Mexico
<b>Dalbergia stevensonii</b>	<i>Honduras rosewood, Nagaed, Honduras Palisander</i>	II#6 (12.06.2013)  III#5 (only population of Guatemala) (12.02.2008) Country of listing: Guatemala	B#6 (10.08.2013)  C#5 (only population of Guatemala) (11.04.2008) D§4 (excepted for the populations, which were included in annex C) (11.04.2008)	Belize, Guatemala, Honduras
<b>Dalbergia tucurensis</b>	<i>Guatemalan rosewood</i>	III#6 (05.02.2015) Country of listing: Guatemala (24.06.2014) Country of listing: Nicaragua	C#6 (26.11.2016) Country of listing: Guatemala (20.12.2014) Country of listing: Nicaragua	Central America, Mexico
<b>Diospyros spp.</b> <i>All species of the population of Madagascar. Not any other population is included in the CITES appendixes respectively in the EU regulation. For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations.</i>	Ebony wood, Ebenholz	II#5 (12.06.2013)  III#5 (22.12.2011) Country of listing: Madagascar (Species see below after the explanations of the annotations)	B#5 (10.08.2013)  C#5 (15.12.2012) (Species see below after the explanations of the annotations)	Madagascar
<b>Dipteryx panamensis</b> (syn. <i>Dipteryx oleifera</i> )	Almendro de montana, Waldmandelbaum	III (13.02.2003) Countries of listing: Costa Rica, Nicaragua	C (30.08.2003)	Nicaragua, Costa Rica, Columbia, Panama, Honduras

### List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<i>Entandrophragma cylindricum</i>	Aboudikro, Bibitu, Lotouhé, Sapelli, Sapele, Sapele mahogany, Sapeli Mahonie	----	D§5 (19.01.2022)	Tropical Africa
<i>Fitzroya cupressoides</i> (syn. <i>F. patagonica</i> )	Chilean false larch, Patagonian Cypress, Alerce, Cipres de la Patagonia, Lahuan, Lahuen, Zypresseneibe	I (22.10.1987, all Populations) II (29.07.1983, only the population of the Chilean coast, all other populations remained in I) I (01.07.1975)	A (01.06.1997)	Chile, Argentina
<i>Fraxinus mandshurica</i>	Manchurian Ash, Asiatische Schwarzesche, Mandschurische Esche,	III#5 (24.06.2014) Country of listing: Russian Federation	C#5 (20.12.2014)	South east Russian Federation, China, Korea, Japan
<i>Gonystylus spp.</i>	Ramin, Melawis	II#4 (12.01.2005) III (06.08.2001)	B#4 (22.08.2005) C (05.08.2001)	Brunei, Indonesia, Malaysia, Singapur
<i>Guaiacum spp.</i>	Bois de Gaiac, B. d. vie, B. saint, Bastard Lignum-vitae, Commoner Lignum-vitae, Gaiac male, G. officinale, Guayac, Guayacan genuino, G. negro, Guayaco, Madera de gaiac, Palo sano, P. santo, Pockholz, Tree of live, Wood of live, Guayacan blanco, Guayacancillo,	II#2 (13.02.2003) - <i>G. officinale</i> (11.06.1992) - <i>G. sanctum</i> (01.07.1975)	B #2 (30.08.2003) - <i>G. officinale</i> (01.06.1997) - <i>G. sanctum</i> (01.06.1997)	Caribbean, Columbia, Florida (USA) Mexico, Central America, Venezuela
<i>Guibourtia demeusei</i> (syn. <i>Copaifera demeusei</i> )	Bubinga	II#15 (02.01.2017)	B#15 (04.02.2017)	West Africa
<i>Guibourtia pellegriniana</i> (syn. <i>Copaifera coleosperma</i> )	Bubinga	II#15 (02.01.2017)	B#15 (04.02.2017)	West Africa
<i>Guibourtia tessmannii</i> (syn. <i>Copaifera tessmannii</i> )	Bubinga	II#15 (02.01.2017)	B#15 (04.02.2017)	West Africa
<i>Gyrinops spp</i>	Agarwood, Agarholz, Adlerholz	II#14 (12.01.2005)	B #14 (22.08.2005)	Indomalaysia, Laos, Sri Lanka
<i>Handroanthus spp.</i>	Ipê, Lapacho, Poui, Pau d'arco	----	D§5 (19.01.2022)	Central and South America, Caribbean,



### List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<i>Khaya spp.</i>	Afrikanisches Mahagoni, Lagos-Mahagoni, Kap Lopez Mahagoni, Grand Bassam Mahagoni, Douala mahonie	----	D <sup>S5</sup> (19.01.2022)	Tropical Africa
<i>Magnolia liliifera var. obovata</i>	Egg-Magnolia, Balukhat, Boramthuri, Champak, Pan-Pankakro, Patpatta, Safan, Siffo, Taungme Baum	III <sup>#1</sup> (16.11.1975) Country of listing: Nepal	C <sup>#1</sup> (01.06.1997)	Asia
<i>Millettia stuhlmannii</i>	Jambire, Mpande, Panga panga, Partridge wood	----	D <sup>S5</sup> (19.01.2022)	Tropical Africa
<i>Okoubaka aubrevillei</i>	Okoubakabaum	----	D <sup>S2</sup> (19.01.2022)	West Africa
<i>Oreomunnea pterocarpa</i> (syn: <i>Engelhardtia pterocarpa</i> )	Gavilan blanco, Gavilan	II <sup>#4</sup> (11.06.1992) I (01.07.1975)	B <sup>#4</sup> (01.06.1997)	Costa Rica, Mexico, Panama
<i>Osyris lanceolata</i> Only the populations of Burundi, Ethiopia, Kenia, Ruanda, Uganda, Tanzania; Not any other population is included in the CITES appendixes respectively in the EU regulation	African Sandalwood, Afrikanisches Sandelholz	II <sup>#2</sup> (12.06.2012)	B <sup>#2</sup> (10.08.2013)	Eastern and Southern Africa
<i>Paubrasilia echinata</i> (syn. <i>Caesalpinia e.</i> )	Pernambuco wood, Brazil Wood, Fernambuk, Pau Brasil	II <sup>#10</sup> (13.09.2007)	B <sup>#10</sup> (11.04.2008)	Brazil
<i>Pericopsis elata</i> (syn: <i>Afrormosia elata</i> )	Satinwood, Yellow Satinwood, Afrormosia, Awawai, Assamela, Ayin, Baracara, Bohala, Egbi, Ejen, Elo, Jatobaly do Igapo, Kokriki, Kokrodua, Mekoe, Mohole, Obang, Ole, Olel pardo, Peonio, Tento,	II <sup>#17</sup> (26.11.2019) II <sup>#5</sup> (11.06.1992)	B <sup>#17</sup> (14.12.2019)	West- and Central Africa
<i>Pilgerodendron uviferum</i> (syn: <i>Juniperus uvifera</i> , <i>Libocedrus tetragona</i> , <i>L. uvifera</i> , <i>Thuja tetragona</i> )	Cedro, Cedar, Cipres de Chile, C. de las Guaitecas, C. de las Islas Len, Chilenische Flusszeder, Cipres, Ten	I (01.07.1975)	A (01.06.1997)	Chile, Argentina
<i>Pinus koraiensis</i> (syn. <i>Pinus mandshurica</i> )	Korean Pine, Korea-Kiefer	III <sup>#5</sup> (14.10.2010) Country of listing: Russian Federation	C <sup>#5</sup> (14.02.2012)	China, Japan, Korea, Russian Federation
<i>Platymiscium pleiostachyum</i>	Cristobal, Macacauba, Ñambar	II <sup>#4</sup> (18.01.1990) I (01.07.1975)	B <sup>#4</sup> (01.06.1997)	Central America



### List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<b><i>Podocarpus neriifolius</i></b>	Brown-Pine, Yellow Wood, Black-Pine, Amanu, Banuas, Bukiti, Cachar, Cipres, Cipresillo, C. loreto, Dionai, Djamudju, Gunsu, Igem, Jamuju, Jati, Jiniari, Kuasi, Lampias, Landin, Lant, Lohansung, Malaal-maciga, Manio, Maniu, Matai, Merak, Miro, Mse, Musenene, Mushunga, Oleanderblättrige Steineibe, Pasnig, Paya, Payarmeri, Pine, Pinho bravo, P. castaneto, P. chaquiro, Podo de Asia, P. lant, Podo, Podoc, Rempayan, Sampinur, Santada, Setada, Slusala, Thitmin, Thitmin-po	III <sup>#1</sup> (16.11.1975) Country of listing Nepal	C <sup>#1</sup> (01.06.1997)	Asia
<b><i>Podocarpus parlatorei</i></b> (syn: <i>P. angustifolia</i> )	Parlatore's Podocarp, White Pine, Manio, Monteromero, Pino blanco, Pino del cerro, P. montano, Pinoholzbaum	I (01.07.1975)	A (01.06.1997)	Argentina, Bolivia, Peru
<b><i>Prunus africana</i></b> (syn: <i>Pygeum africanum</i> )	African cherry, Red stinkwood, Afrikanisches Stinkholz, Alumty, Gwane, Lluo, Mgambo, Mkomohoyo, Mseneo, Muiri, Ntasea, Pygeum, Tenduet, Wotangue,	II <sup>#4</sup> (16.02.1995)	B <sup>#4</sup> (01.06.1997)	Africa
<b><i>Pterocarpus erinaceus</i></b>	African Rosewood, Pau Sangue, Vene	II (02.01.2017)  III <sup>#1</sup> (09.05.2016) Country of listing: Senegal	B (04.02.2017)  C <sup>#1</sup> (26.11.2016) Country of listing: Senegal	Central Africa West Africa
<b><i>Pterocarpus macrocarpus</i></b>	Burma-Padouk, Maidu	----	D <sup>§4</sup> (19.01.2022)	Cambodia, Laos, Myanmar, Thailand, Vietnam

### List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<b><i>Pterocarpus santalinus</i></b>	Red sandal Wood, Red-sanders, Agar, Agarugandhamu, Atti, Chandanum, Honne, Lal Chan, Lalchandan, Patrangam, Raktachandan, Raktagan-dhamu, Ratamjali, Rotes Sandelholz, Sandalo rojo, Sivappu, Tila-parnni, Yerra	II <sup>#7</sup> (16.02.1995)	B <sup>#7</sup> (01.06.1997)	India, Sri Lanka
<b><i>Pterocarpus tinctorius</i></b>	African padauk, Mukula, Mkula, Nkula, Mlombwa, Mkurungu, Mkulungu, Tacula, Mninga maji	II <sup>#6</sup> (26.11.2019)	B <sup>#6</sup> (14.12.2019)	Angola, Dem. Rep. Congo, Burundi, Tanzania, Malawi, Mozambique, Zambia
<b><i>Quercus mongolica</i></b>	Mongolian oak, Mongolische Eiche	III <sup>#5</sup> (24.06.2014) <i>Country of listing: Russian Federation</i>	C <sup>#5</sup> (20.12.2014)	Russian Federation (East Siberia), Japan, China, Korea, Mongolia
<b><i>Roseodendron spp.</i></b>	Primavera, Araguaney	---	D <sup>§5</sup> (19.01.2022)	Central America, South Mexico, Colombia, Venezuela,
<b><i>Swietenia humilis</i> (syn: <i>S. bijuga</i>, <i>S. cirrhata</i>)</b>	Mexican mahogany, Honduras mahogany, Caoba de Honduras, Cao-bach, Cobano, Cuabilla, Flor de venadillo, Gateado Mahagonibaum, Guayach, Mabu, Mova, Palo de Zopilote, Venadillo, Zapaton	II <sup>#4</sup> (01.07.1975)	B <sup>#4</sup> (01.06.1997)	Central America
<b><i>Swietenia macrophylla</i> (syn: <i>S. candollei</i>, <i>S. belizensis</i>,) Only populations of the Neotropics = countries which belong to the tropical and subtropical regions of Central and South America, including Mexico and the Caribbean</b>	American mahogany, Bigleaf mahogany, Brazilian mahogany, Acajou americain, Aguano, Amerikanischer Mahagoni, Aputanga, Caoba de Centro America, Caoba de hoja ancha, Caoba de Honduras, Caoba del Atlantico, Caoba del sur, Caoba, Cobillo, Cobano, Gateado, Gateads, Mahogany, Maraboliviana, Mara, Mogno, Mogu, New World Mahogany, Orura, Swietenie, Venadillo, Zapaton, Zopilote	II <sup>#6</sup> (15.11.2003) III (16.11.1995)	B <sup>#6</sup> (15.11.2003) C (01.06.1997)	Central and South America

### List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<b><i>Swietenia mahagoni</i></b> ( <i>syn: Cedrela mahagoni, Cedrus mahogani, S. mahogoni, S. fabrilis, S. acutifolia, S.m. var.praecociflora</i> )	Cuban mahogany, West Indian mahogany, Acajou de Cuba, Acajou de Santo Domingo, Aguano, Amerikanisches Mahagoni, Caoba de Cuba, Caoba espanola, Caoba, Caobilla, Chiculte, Coabillo, Cobano, Dominican mahagoni, Echter Mahagoni, Gateado, jamaican mahagoni, Madeira, Mahog, Mahogany, Mogno, Orura	II <sup>#5</sup> (11.06.1992)	B <sup>#5</sup> (01.06.1997)	Caribbean region, Florida (USA), Northern South America
<b><i>Tabebuia spp.</i></b>	Arco, Arcwood, Capitary, Ipé, Pau d'arco	----	D <sup>#5</sup> (19.01.2022)	Tropical South America, Central America, Caribbean
<b><i>Taxus chinensis and infraspecific taxa of this species</i></b> ( <i>syn. T. wallichiana var. chinensis</i> )	Chinese Yew, Chinesische Eibe	II <sup>#2</sup> (12.01.2005)	B <sup>#2</sup> (22.08.2005)	Asia
<b><i>Taxus cuspidata and infraspecific taxa of this species</i></b>	Japanese Yew, Japanische Eibe	II <sup>#2</sup> (12.01.2005)	B <sup>#2</sup> und (5) (22.08.2005)	Asia
<b><i>Taxus fuana and infraspecific taxa of this species</i></b>		II <sup>#2</sup> (12.01.2005)	B <sup>#2</sup> (22.08.2005)	Asia
<b><i>Taxus sumatrana and infraspecific taxa of this species</i></b> ( <i>syn. Lephalotaxus sumatrana</i> )		II <sup>#2</sup> (12.01.2005)	B <sup>#2</sup> (22.08.2005)	Asia
<b><i>Taxus wallichiana</i></b> ( <i>syn: T.baccata ssp. wallichiana</i> )	Himalayan Yew, Barme salle, Basmi, Birmie, Birmichogam, Birmi, Brahmi, Burmie, Cheongbu, Dhunu, Ding-sableh, Gallu, lichujhau, Manduparni, Postil, Talis patra, Tcheiraygulab, Teheiraysulah, Tejo de Asia, Tejo del Himalaya, Thuner, Thuno, Tunki, Wallich's Eibe, Zirupbirmi	II <sup>#2</sup> (16.02.1995)	B <sup>#2</sup> (01.06.1997)	Asia
<b><i>Tetracentron sinense</i></b>	Ährenblütiger Scheinjudasbaum, Tetracentron	III <sup>#1</sup> (16.11.1975) Country of listing: <i>Nepal</i>	C <sup>#1</sup> (01.06.1997)	Bhutan, China, India, Myanmar, Nepal, Vietnam

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<i>Widdringtonia whytei</i>	Mulanje cedar, Mulanje cypress, Mkunguza	II (26.11.2019)	B (14.12.2019)	Malawi

### Explanation of the annotations

#### #1

Designates all parts and derivatives, except:

- (a) seeds, spores and pollen (including pollinia);
- (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- (c) cut flowers of artificially propagated plants; and
- (d) fruits and parts and derivatives thereof of artificially propagated plants of the genus *Vanilla*.

#### #2

Designates all parts and derivatives, except:

- (a) seeds and pollen; and
- (b) finished products packaged and ready for retail trade.

#### #4

Designates all parts and derivatives, except:

- (a) seeds (including seedpods of *Orchidaceae*), spores and pollen (including pollinia). The exemption does not apply to seeds from *Cactaceae* spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Neodypsis decaryi* exported from Madagascar;
- (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- (c) cut flowers of artificially propagated plants;
- (d) fruits and parts and derivatives thereof of naturalized or artificially propagated plants of the genus *Vanilla* (*Orchidaceae*) and of the family *Cactaceae*;
- (e) stems, flowers, and parts and derivatives thereof of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (*Cactaceae*); and
- (f) finished products of *Euphorbia antisyphilitica* packaged and ready for retail trade.

#### #5

Designates logs, sawn wood and veneer sheets.

#### #6

Designates logs, sawn wood, veneer sheets and plywood.

#### #7

Designates logs, wood-chips, powder and extracts. (until 12.09.2007 this annotation read as follows: Designates logs, wood-chips and unprocessed broken material; for the European union valid until 10.04.2008)

#### #10

Designates logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

### #11

Designates logs, sawn wood, veneer sheets, plywood, powder and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation. (until 01.01.2017 this annotation read as follows: Designates logs, sawn wood, veneer sheets, plywood, powder and extracts.

### #12

Designates logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation

### #14

Designates all parts and derivatives, except:

- (a) seeds and pollen;
- (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- (c) fruits;
- (d) leaves;
- (e) exhausted agarwood powder, including compressed powder in all shapes;
- (f) finished products packaged and ready for retail trade, this exemption does not apply to wood chips, beads, prayer beads and carvings. (until 01.01.2017 letter (f) read as follows: finished products packaged and ready for retail trade, this exemption does not apply to beads, prayer beads and carvings.

### #15 (from 26.11.2019 CITES, from 14.12.2019 EU)

Designates all parts and derivatives, except:

- a) leaves, flowers, pollen, fruit, and seeds;
- b) finished products to a maximum weight of wood of the listed species up to 10 kg per shipment;
- c) finished musical instruments, finished musical instrument parts and finished musical instrument accessories
- d) parts and derivatives of *Dalbergia cochinchinensis* which are covered by annotation #4;
- e) parts and derivatives of *Dalbergia* spp. originating and exported from Mexico which are covered by an notation #6.

#15 (wording valid until 25.11.2019 CITES, until 13.12.2019 for EU)

Designates all parts and derivatives, except:

- a) leaves, flowers, pollen, fruit, and seeds;
- b) non-commercial trade of a maximum total weight of 10 kg per shipment;
- c) parts and derivatives of *Dalbergia cochinchinensis* which are covered by Annotation #4;
- d) parts and derivatives of *Dalbergia* spp. originating and exported from Mexico which are covered by An notation #6.

### #16

Designates seeds, fruits and oils

### #17

Designates logs, sawn wood, veneer sheets, plywood and transformed wood

### §2

Dried and fresh plants, including, where appropriate; leaves, roots/rootstock, stems, seeds/spores, bark and fruits

### §3

Logs, sawn wood and veneer sheets

### §4

Designates all parts and derivatives, except:

- (a) seeds and pollen
- (b) finished products packaged and ready for retail trade

### §5

Logs, sawn wood, veneer sheets, plywood and transformed wood. (\*)

(\*) Defined by Harmonized System code 44.09: Wood (including strips, friezes for parquet flooring, not assembled), continuously shaped (tongued, grooved, v-jointed, beaded or the like) along any edges, ends or faces, whether or not planed, sanded or end-jointed.

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

(5)

Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text "artificially propagated", are not subject to the provisions of the Convention.

### **Dalbergia spp. (Palisander, with exception of the species *Dalbergia nigra*)**

Alphabetical list of rosewood tree species (*Dalbergia spp.*) which have been listed in Appendix II<sup>#15</sup> CITES since 02.01.2017 and in Appendix B<sup>#15</sup> VO(EG) 338/97 since 04.02.2017. Due to constantly changing taxonomic and systematic findings, the list cannot be regarded as complete and exhaustive. Listed are all species of the genus *Dalbergia spp.*

The species *Dalbergia nigra* is not mentioned here as it is excluded from the *Dalbergia spp.* listing and is listed in Appendix I CITES and Appendix A of Regulation (EC) 338/97:

*Dalbergia abbreviate, Dalbergia abrahamii, Dalbergia acariiantha, Dalbergia acuta, Dalbergia acutifoliolata, Dalbergia adami, Dalbergia afzeliana, Dalbergia agudeloi, Dalbergia ajudana, Dalbergia albertisii, Dalbergia albiflora, Dalbergia altissima, Dalbergia amazonica, Dalbergia amerimmon, Dalbergia andapensis, Dalbergia arbutifolia, Dalbergia arbutifolia subsp. Aberrans, Dalbergia armata, Dalbergia assamica, Dalbergia aurea, Dalbergia bakeri, Dalbergia balansae, Dalbergia bariensis, Dalbergia baronii, Dalbergia bathiei, Dalbergia beccarii, Dalbergia beddomei, Dalbergia benthamii, Dalbergia berteroi, Dalbergia bignoniae, Dalbergia bintuluensis, Dalbergia boehmii subsp. Stuhlmannii, Dalbergia boehmii, Dalbergia bojeri, Dalbergia boniana, Dalbergia borneensis, Dalbergia brachystachya, Dalbergia bracteolata, Dalbergia brasiliensis, Dalbergia brownie, Dalbergia burmanica, Dalbergia calderonii, Dalbergia calycina, Dalbergia cambodiana, Dalbergia campononii, Dalbergia cana, Dalbergia candenatensis, Dalbergia canescens, Dalbergia capuronii, Dalbergia carringtoniana, Dalbergia catingicola, Dalbergia caudate, Dalbergia cearensis, Dalbergia chapelieri, Dalbergia chlorocarpa, Dalbergia chontalensis, Dalbergia clarkei, Dalbergia cochinchinensis, Dalbergia commiphoroides, Dalbergia comorensis, Dalbergia confertiflora, Dalbergia congensis, Dalbergia congesta, Dalbergia congestiflora, Dalbergia coromandeliana, Dalbergia crispera, Dalbergia cubilquitzensis, Dalbergia cucullata, Dalbergia cuia-bensis, Dalbergia cultrate, Dalbergia cumingiana, Dalbergia curtisii, Dalbergia cuscatlanica, Dalbergia dalzielii, Dalbergia darienensis, Dalbergia davidii, Dalbergia debilis, Dalbergia decipularis, Dalbergia delphinensis, Dalbergia densa, Dalbergia densiflora, Dalbergia dialoides, Dalbergia discolor, Dalbergia dongnaiensis, Dalbergia duarensis, Dalbergia duperreana, Dalbergia dyeriana, Dalbergia ealaensis, Dalbergia ecastaphyllum, Dalbergia elegans, Dalbergia emirnensis, Dalbergia enneaphylla, Dalbergia entadoides, Dalbergia eremicola, Dalbergia ernest-ulei, Dalbergia errans, Dalbergia erubescens, Dalbergia falcata, Dalbergia fischeri, Dalbergia floribunda, Dalbergia florifera, Dalbergia foliolosa, Dalbergia foliosa, Dalbergia forbesii, Dalbergia fouilloyana, Dalbergia frutescens, Dalbergia frutescens var. tomentosa, Dalbergia funera, Dalbergia fusca, Dalbergia gardneriana, Dalbergia gentilii, Dalbergia gilbertii, Dalbergia glaberrima, Dalbergia glabra, Dalbergia glandulosa, Dalbergia glaucescens, Dalbergia glaucocarpa, Dalbergia glaziovii, Dalbergia glomerata, Dalbergia godefroyi, Dalbergia gossweileri, Dalbergia gracilis, Dalbergia granadillo, Dalbergia grandibracteata, Dalbergia grandistipula, Dalbergia greveana, Dalbergia guttembergii, Dalbergia hainanensi, Dalbergia hancei, Dalbergia havilandii, Dalbergia henryana, Dalbergia heudelotii, Dalbergia hiemalis, Dalbergia hildebrandtii var. scorpioides., Dalbergia hildebrandtii, Dalbergia hirticalyx, Dalbergia horrida, Dalbergia horrida var. glabrescens, Dalbergia hortensis, Dalbergia hoseana, Dalbergia hostilis, Dalbergia hullettii, Dalbergia humbertii, Dalbergia hupeana, Dalbergia hygrophila, Dalbergia intermedia, Dalbergia intibucana, Dalbergia inundata, Dalbergia iquitosensis, Dalbergia jaherii, Dalbergia jingxiensis, Dalbergia junghuhnii, Dalbergia kerrii, Dalbergia kingiana, Dalbergia kisantuensis, Dalbergia kostermansii, Dalbergia kunstleri, Dalbergia kurzii, Dalbergia lacei, Dalbergia lacteal, Dalbergia lakhonensis, Dalbergia lanceolaria, Dalbergia lanceolaria subsp. Paniculata, Dalbergia lanceolaria var. maymyensis, Dalbergia lastoursvillensis, Dalbergia lateriflora, Dalbergia latifolia, Dalbergia laxiflora, Dalbergia lemurica, Dalbergia librevillensis, Dalbergia longepedunculata, Dalbergia louisii, Dalbergia louvelii, Dalbergia luteola, Dalbergia macrosperma, Dalbergia madagascariensis var. poolii, Dalbergia madagascariensis, Dalbergia malabarica, Dalbergia malangensis, Dalbergia mammosa, Dalbergia marcaniana,*



## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

### Continuation *Dalbergia* spp. (except the species *Dalbergia nigra*)

*Dalbergia maritima*, *Dalbergia martini*, *Dalbergia mayumbensis*, *Dalbergia melanocardium*, *Dalbergia melanoxylon*, *Dalbergia menoeides*, *Dalbergia mexicana*, *Dalbergia microphylla*, *Dalbergia millettii*, *Dalbergia millettii* var. *mimosoides*, *Dalbergia mimosella*, *Dalbergia mimosoides*, *Dalbergia miscolobium*, *Dalbergia modesta*, *Dalbergia mollis*, *Dalbergiamollis* var. *menabeensis*, *Dalbergia monetaria*, *Dalbergia monophylla*, *Dalbergia monticola*, *Dalbergia multijuga*, *Dalbergia negrensis*, *Dalbergia neoperrieri*, *Dalbergia ngounyensis*, *Dalbergia nitida*, *Dalbergia nitidula*, *Dalbergia noldeae*, *Dalbergia normandii*, *Dalbergia oblongifolia*, *Dalbergia obovate*, *Dalbergia obtusifolia*, *Dalbergia odorifera*, *Dalbergia oligophylla*, *Dalbergia oliveri*, *Dalbergia orientalis*, *Dalbergia ovata*, *Dalbergia ovata* var. *glomeriflora*, *Dalbergia pachycarpa*, *Dalbergia palo-escrito*, *Dalbergia parviflora*, *Dalbergia paucifoliolata*, *Dalbergia peguensis*, *Dalbergia peishaensis*, *Dalbergia peltieri*, *Dalbergia pervillei*, *Dalbergia pierreana*, *Dalbergia pinnata*, *Dalbergia pinnata* var. *acaciifolia*, *Dalbergia pluriflora*, *Dalbergia polyadelpa*, *Dalbergia polyphylla*, *Dalbergia prainii*, *Dalbergia pseudo-ovata*, *Dalbergia pseudo-sissoo*, *Dalbergia pseudobaronii*, *Dalbergia purpurascens*, *Dalbergia reniformis*, *Dalbergia reticulate*, *Dalbergia retusa*, *Dalbergia revolute*, *Dalbergia rhachiflexa*, *Dalbergia richardsii*, *Dalbergia riedelii*, *Dalbergia rimosa*, *Dalbergia rimosa* var. *foliacea*, *Dalbergia riparia*, *Dalbergia rostrate*, *Dalbergia rubiginosa*, *Dalbergia ruddiae*, *Dalbergia rufa*, *Dalbergia rugose*, *Dalbergia sacerdotum*, *Dalbergia salvanaturae*, *Dalbergia sambesiaca*, *Dalbergia sampaioana*, *Dalbergia sandakanensis*, *Dalbergia saxatilis*, *Dalbergia saxatilis* var. *preussii*, *Dalbergia scortechinii*, *Dalbergia sericea*, *Dalbergia setifera*, *Dalbergia simpsonii*, *Dalbergia sissoides*, *Dalbergia sissoo*, *Dalbergia spinose*, *Dalbergia spruceana*, *Dalbergia stenophylla*, *Dalbergia stercoracea*, *Dalbergia stevensonii*, *Dalbergia stipulacea*, *Dalbergia suaresensis*, *Dalbergia subcymosa*, *Dalbergia succirubra*, *Dalbergia teijsmannii*, *Dalbergia teixeirae*, *Dalbergia thomsonii*, *Dalbergia thorelii*, *Dalbergia tilarana*, *Dalbergia tinneveliense*, *Dalbergia tonkinensis*, *Dalbergia travancorica*, *Dalbergia trichocarpa*, *Dalbergia tricolor*, *Dalbergia tsaratananensis*, *Dalbergia tsiandalana*, *Dalbergia tsoi*, *Dalbergia tucurensis*, *Dalbergia uarandensis*, *Dalbergia urschii*, *Dalbergia vacciniifolia*, *Dalbergia velutina*, *Dalbergia velutina* var. *Succirubra*, *Dalbergia verrucosa*, *Dalbergia viguieri*, *Dalbergia villosa*, *Dalbergia villosa* var. *barretiana*, *Dalbergia volubilis*, *Dalbergia wattii*, *Dalbergia xerophila*, *Dalbergia ximengensis*, *Dalbergia yunnanensis*, *Dalbergia yunnanensis* var. *collettii*

### *Dalbergia* spp. (Palisander) of the Madagascan population

#### History of the protection status

*Dalbergia louvelii*, *Dalbergia monticola*, *Dalbergia normandii*, *Dalbergia purpurascens*, *Dalbergia xerophila*

22.12.2011 until 11.06.2013 Appendix III#5 CITES

15.12.2012 until 09.08.2013 Annex C#5 Regulation (EC) 338/97

12.06.2013 until 01.01.2017 Appendix II#5 CITES

10.08.2013 until 01.01.2017 Annex B#5 Regulation (EC) 338/97

Since 02.01.2017 Appendix II#15 CITES

Since 04.02.2017 Annex B#15 Regulation (EC) 338/97

#### History of the protection status of the whole population of Madagascar

12.06.2013 until 01.01.2017 Appendix II#5 CITES

10.08.2013 until 01.01.2017 Annex B#5 Regulation (EC) 338/97

Since 02.01.2017 Annex II#15 CITES

Seit 04.02.2017 Annex B#15 Regulation (EC) 338/97

Alphabetical preliminary order of rosewood species (*Dalbergia* spp.) of the population of Madagascar. Due to constantly changing of taxonomic and systematic findings, the list cannot be regarded as complete and conclusive:

*Dalbergia abrahamii*, *Dalbergia andapensis*, *Dalbergia aurea*, *Dalbergia baronii*, *Dalbergia bathiei*, *Dalbergia bojeri*, *Dalbergia brachystachya*, *Dalbergia bracteolate*, (Syn : *D.grandidieri* Baill.= *D.richardii* Baill), *Dalbergia campenonii*, *Dalbergia capuronii*, *Dalbergia chapelieri* (Syn: *D.pterocarpiflora* Baker), *Dalbergia chlorocarpa*, *Dalbergia davidii*, *Dalbergia delphinensis*, *Dalbergia emirnensis*, *Dalbergia erubescens*, *Dalbergia gautieri*, *Dalbergia glaberrima*, *Dalbergia glaucocarpa*, *Dalbergia greveana* (Syn : *.ambongoensis*. = *D.eurybothrya*= *D.ikopensis* = *D.isaloensis*. = *D. myriabotrys*), *Dalbergia hildebrandtii* (Syn : *D.boivinii* Baill. = *D. scorpioides* Baker), *Dalbergia hirticalyx*, *Dalbergia humbertii*, *Dalbergia lemurica*, *Dalbergia louvelii*, *Dalbergia madagascariensis*, *Dalbergia manongarivensis*, *Dalbergia maritima*, *Dalbergia masoalensis*,



## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

### Continuation *Dalbergia* spp. (Palisander) of the Madagascan population

*Dalbergia mollis* (Syn : *D. chermesonii*), *Dalbergia monticola*, *Dalbergia neoperrieri*, *Dalbergia normandii*, *Dalbergia occulta*, *Dalbergia orientalis*, *Dalbergia peltieri* (Syn: *D. microcarpa*), *Dalbergia pervillei* (Syn : *D. densi-coma* = *D. obtusa*), *Dalbergia pseudobaronii*, *Dalbergia pseudoviguierei*, *Dalbergia purpurascens*, *Dalbergia suaresensis* (Syn : *D. bernieri*), *Dalbergia trichocarpa* (Syn : *D. boinensis* = *D. perrieri*), *Dalbergia tricolor*, *Dalbergia tsaratananensis*, *Dalbergia tsiandalana*, *Dalbergia urschii*, *Dalbergia viguierei*, *Dalbergia xerophila*

### *Diospyros* spp.(ebony) of the Madagascan Population

History of the protection status of the whole population of Madagascar

22.12.2011 until 11.06.2013 Appendix III#5 CITES

15.12.2012 until 09.08.2013 Annex C#5 Regulation (EG) 338/97

Since 12.06.2013 Appendix II#5 CITES

Since 10.08.2013 Annex B#5 Regulation (EC) 338/97

Alphabetical preliminary list of ebony species (*Diospyros* spp.) of the population of Madagascar. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive:

*Diospyros aculata*, *Diospyros analamerensis*, *Diospyros anosivolensis*, *Diospyros baroniana*, *Diospyros bemarivensis*, *Diospyros bemieri*, *Diospyros bemieriana*, *Diospyros bezofensis*, *Diospyros boinensis*, *Diospyros boivinii* (incl. var. *manon-garivensis*), *Diospyros calophylla*, *Diospyros cauchiana*, *Diospyros cinnamomoides*, *Diospyros clusiifolia*, *Diospyros conifer*, *Diospyros coursiana*, *Diospyros cupulifera*, *Diospyros danguyana*, *Diospyros decaryana*, *Diospyros dycory-pheoides* (incl. var. *meridionalis*), *Diospyros ebenifera*, *Diospyros enervis*, *Diospyros erinacea*, *Diospyros erythrosperma*, *Diospyros filipes*, *Diospyros fuscovelutina*, *Diospyros geayana*, *Diospyros gneissicola*, *Diospyros gracilipes* (incl. var. *lecomtei*, *parvifolia*, *velutipes*, *subvernensis*), *Diospyros greveana* (incl. var. *boinensis*), *Diospyros haplostylis* (incl. var. *hildebrandtii*), *Diospyros hazomainty*, *Diospyros hemiteles*, *Diospyros heterosepala*, *Diospyros humbertiana*, *Diospyros humbertii*, *Diospyros implexicalyx*, *Diospyros ketsensis*, *Diospyros laevis*, *Diospyros lamiana*, *Diospyros lanceolata*, *Diospyros latispatulata*, *Diospyros lenticellata*, *Diospyros leucomelas*, *Diospyros leucocalyx*, *Diospyros lokohensis*, *Diospyros louveli*, *Diospyros madagascariensis*, *Diospyros madecassa*, *Diospyros magnifolia*, *Diospyros manampetsae*, *Diospyros mangabensis*, *Diospyros mangorensis*, *Diospyros mapingo*, *Diospyros masoalensis*, *Diospyros mcphersonii*, *Diospyros meeusiana*, *Diospyros microrhombus*, *Diospyros montigena*, *Diospyros myriophylla*, *Diospyros myrtifolia*, *Diospyros myrtilloides*, *Diospyros natalensis*, *Diospyros neraudii*, *Diospyros nigricans*, *Diospyros nodosa*, *Diospyros obducta*, *Diospyros occlusa*, *Diospyros olacinoides*, *Diospyros onivensis*, *Diospyros parifolia*, *Diospyros parvifolia*, *Diospyros perreticulata*, *Diospyros perrieri*, *Diospyros pervillei*, *Diospyros platycalyx*, *Diospyros pruinosa*, *Diospyros quartzitarium*, *Diospyros quercina*, *Diospyros revaughanii*, *Diospyros rubrolanata*, *Diospyros sakalavarum* (incl. var. *mollifolia*), *Diospyros sclerophylla*, *Diospyros seychellarum*, *Diospyros sphaerosepala* (incl. var. *calyculata*), *Diospyros stenocarpa*, *Diospyros striicalyx*, *Diospyros subacuta*, *Diospyros subenervis*, *Diospyros subfalciformis*, *Diospyros subsessifolia*, *Diospyros subtrinervis*, *Diospyros tampinensis*, *Diospyros tetraceros*, *Diospyros tetrapoda*, *Diospyros torquata* (incl. var. *mabaoides*), *Diospyros toxicaria*, *Diospyros tropophylla*, *Diospyros urschii*, *Diospyros velutipes*, *Diospyros vera*, *Diospyros vescoi* (incl. var. *mandrarenensis*), *Diospyros viguieriana*

## List of the timber species, protected in CITES and according to Regulation (EC) 338/97

### **Cedrela spp. (Cedro, Cedar)**

Alphabetical list of cedar species (*Cedrela spp.*) which have been listed in Appendix II<sup>#6</sup> CITES since 28.08.2020 and in Appendix B<sup>#6</sup> VO(EG) 338/97 since 28.08.2020. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive. The species previously listed in Appendix III<sup>#5</sup> CITES and Annex C<sup>#6</sup> or Annex D<sup>#4</sup> of Regulation (EC) 338/97 are listed separately above in the table with all relevant data.

*Cedrela angustifolia* (Syn. *Cedrela lilloi*), *Cedrela balansae*, *Cedrela discolour*, *Cedrela dugesii*, *Cedrela fissilis*, *Cedrela kuelapensis*, *Cedrela lilloi*, *Cedrela longipetiolulata*, *Cedrela molinensis*, *Cedrela monroensis*, *Cedrela montana*, *Cedrela nebulosi*, *Cedrela oaxacensis*, *Cedrela odorata* (Syn.: *Cedrela adenophylla*, *Cedrela brachystachya*, *Cedrela brownie*, *Cedrela caldasana*, *Cedrela cubensis*, *Cedrela glaziovii*, *Cedrela guianensis*, *Cedrela hassleri*, *Cedrela huberi*, *Cedrela imparipinnata*, *Cedrela longipes*, *Cedrela mexicana*, *Cedrela mexicana* var. *puberula*, *Cedrela mourae*, *Cedrela occidentalis*, *Cedrela odorata* var. *xerogeiton*, *Cedrela palustris*, *Cedrela paraguariensis*, *Cedrela paraguariensis* var. *brachystachya*, *Cedrela paraguariensis* var. *hassleri*, *Cedrela paraguariensis* var. *multijuga*, *Cedrela rotunda*, *Cedrela sintenisii*, *Cedrela velloziana*, *Cedrela whitfordii*, *Cedrela yucatana*), *Cedrela saltensis*, *Cedrela salvadorensis*, *Cedrela tonduzii*, *Cedrela weberbaueri*