

List of of tree species, protected under CITES and Regulation (EC) 338/97

Status: 05.03.2026 (CITES), 05.03.2026 (EU)

In the table on the following pages all currently protected tree species are listed for the above-mentioned status. The species are sorted alphabetically by scientific species name. If the protection status is associated with an annotation, this is indicated by the hash tag '#' and a number next to the protection status. The explanation of each annotation can be found at the end of the table.

The species protection regulations depend on the appropriate protection status and, if applicable, on the associated annotation. For this purpose, please note exclusively the protection status of the respective species according to Regulation (EC) No. 338/97, which you can find in the column 'EU protection'. The date in brackets below the protection status refers to the day from which the protection status became legally effective. If a protection status has a history, the protection status that is no longer valid is displayed in gray under the current protection status. This information is required when it has to be proved that the wood in question originated before the species was first listed in CITES. (pre-convention).

For reasons of overview, the individual species of the genera *Afzelia* spp. (Afzelia, African populations), *Cedrela* spp. (cedar), *Dalbergia* spp. (rosewood), *Diospyros* spp. (ebony), *Dipteryx* spp. (Tonka, Cumaru), *Gonystylus* spp. (Ramin), *Handroanthus* spp. (Ipe), *Khaya* spp. (African mahogany, African populations), *Pterocarpus* spp. (Paduak, African populations) and *Tabebuia* spp. (Pau D'arco) are listed at the end of the table.

We have described the species protection provisions for the import or re-export of wood of protected tree species in detail on our website.

(Link: <https://www.bfn.de/holz-holzprodukte>).

Tab. 1: Update: 23.02.2023 CITES, 19.01.2022 EU; Explanation of the annotations at the end of the list; History/future of the protection status is written in grey (no longer or not yet valid)

Scientific name (Synonyms not complete)	Trade name or common name (selection)	CITES Appendix	EU-Annex (until 31.05.1997 the CITES Appendix was valid)	Natural distribution
<i>Abies guatemalensis</i> (syn. <i>A. tacanensis</i>)	Gautemalan Fir, Mexican Fir, Pinbete, Abeto mexicana, Guayami, Hallarin, Mexican fir, Oyamel, Pina-bete, Plumajatzin, Plumaji-llo de montana	I (01.07.1975)	A (01.06.1997)	El Salvador, Guatemala, Honduras, Mexico
<i>Adansonia grandidieri</i>	Grandidier's Baobab	II ^{#16} (02.01.2017)	B ^{#16} (04.02.2017)	Madagascar
<i>Afzelia</i> spp. 1. Only species of the African populations; For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations	Afrikanisches Mahagoni, African mahogany, Afzelia, Pod mahogany, African oak, Doussié, Lingué	II ^{#17} (23.02.2023)	B ^{#17} (20.05.2023)	Central to Southern Africa
<i>Aniba rosaeodora</i> (syn. <i>A. duckei</i>)	Rosewood Tree, Rosenholz, Carcara, Legno di rose, Pau rosa, Palo de Rosa	II ^{#12} (23.06.2010)	B ^{#12} (15.08.2010)	Brazil, Columbia, Ecuador, French Guyana, Peru, Surinam, Venezuela
<i>Anthoshorea</i> spp.	White Meranti, Melapi	----	D\$5 (29.06.2026)	South and Southeast Asia
<i>Aquilaria</i> spp.	Agar wood, Aloe wood, Eagle wood, Agalloco, Agaru, Aggallichandanam, Agru, Calambac, Calamboe, Gaharu, Gia, Hasi, Kalambak, Karas, Klaw, Lignaloos, Maderade Agar, Paradies-holz, Sasi, Tugge, Ugar	II ^{#14} (12.01.2005) <i>A. malaccensis</i> (16.02.1995)	B ^{#14} (22.08.2005) <i>A. malaccensis</i> (01.06.1997)	Asia (Indomalesia)
<i>Araucaria araucana</i> (syn: <i>A. imbricata</i> , <i>A. chilensis</i> , <i>A. dombeyi</i> , <i>Abies columbaria</i> , <i>Pinus araucana</i>)	Chile Pine, Monkey Puzzle, Andentanne, A. de Chile, A.espinuda, A. imbricata, Pehuen, Pino, Pinonero	I (28.06.1979) II (01.07.1975)	A (01.06.1997)	Argentina, Chile,

<i>Aucoumea klaineana</i>	Angouma, Angum, Gabun-Mahagoni, Moukoumi, Gaboon, Okoumé, Okaka, Ongoumi, Zonga	----	D ^{§5} (19.01.2022)	West- and Central Gabon, Equatorial Guinea, Congo, Cameroon
<i>Baillonella toxisperma</i>	Adjap, African pear wood, Ayap, Dimpampi, Muamba jaune	----	D ^{§5} (19.01.2022)	Central- and West Africa
<i>Balmea stormiae</i> (syn. <i>B. stormae</i>)	Ayuque	I (01.07.1975)	A (01.06.1997)	El Salvador, Guatemala, Mexico
<i>Beaucarnea spp.</i>	Elefantenfußbaum, Elephant foot tree	II (02.01.2017)	II (04.02.2017)	Belize, El Salvador, Guatemala, Honduras, Mexico
<i>Boswellia spp.</i>	Weihrauch	----	D ^{§4} (19.01.2022)	Africa, India, Pakistan, Oman, Yemen
<i>Bulnesia sarmientoi</i> (syn. <i>B. gancedoi</i>)	Holy wood, Palo santo, Ibiocaí	II ^{#11} (23.06.2010) III (12.02.2008)	B ^{#11} (15.08.2010) C ^{#11} (11.04.2008)	Argentina, Bolivia, Brazil, Paraguay
<i>Caryocar costaricense</i>	Costus, Ajo, Aji, Ajillo, Almendrillo, Caballokup, Cagri, Chawari, Manu, Piquia, Plomillo, Sawari	II ^{#4} (18.01.1990) I (01.07.1975)	B ^{#4} (01.06.1997)	Columbia, Costa Rica, Panama, Venezuela
<i>Cedrela spp.</i> 2. (Only populations of the Neotropics = countries which belong to the tropical and subtropical regions of Central and South America, including Mexico and the Caribbean) 3. All species of the Genus <i>Cedrela</i> . For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations.	Cedro, Cedar	II ^{#6} (28.08.2020)	B ^{#6} (28.08.2020)	Central and South America

Cedrela fissilis	Cedro, Cedar	III ^{#5} (14.10.2010) Countries of Listing: Bolivia, Brazil (09.05.2016)	C ^{#5} (26.11.2016) Country of list- ing: Brazil (15.12.2012) Country of list- ing: Bolivia (14.02.2012) D ^{\$4} (except for the population of Bolivia, which was included in annex C) (11.04.2008)	Costa Rica, Panama, South America
Cedrela lilloi (from 28.08.2020 Cedrela angustifolia syn. Cedrela lilloi)	Cedro, Cedar	III ^{#5} (14.10.2010) Countries of Listing: Bolivia, Brazil (09.05.2016)	C ^{#5} (26.11.2016) Country of list- ing: Brazil (15.12.2012) Country of list- ing: Bolivia (14.02.2012) D ^{\$4} (except for the population of Bolivia, which was included in annex C) (11.04.2008)	Argentina, Bo- livia, Brazil, Co- lumbia, Para- guay, Peru
Cedrela montana	Cedro, Cedar	—	D ^{\$4}	Columbia, Ec- uador,

			(11.04.2008)	Paraguay, Venezuela
Cedrela oaxacensis	Cedro, Cedar	—	D ^{\$4} (11.04.2008)	Mexico
Cedrela odorata	West Indian Cedar, Red Cedar, Spanish Cedar, Cedro, Spanische Zeder	III ^{#5} (27.04.2011) (14.10.2010, 12.01.2001) Countries of Listing: Bolivia ,Brazil In addition, the following countries have listed their national populations: Columbia, Guatemala, Peru	C ^{#5} (15.12.2012) (14.02.2012) (05.08.2001) D ^{\$4} (excepted for the populations of Bolivia, Brazil, Columbia, Guatemala, Peru, which were included in annex C) (14.02.2012, 11.04.2008)	Caribbean, Central Mexico, South America
Cedrela salvadorensis	Cedro, Cedar	—	D ^{\$4} (11.04.2008)	Central America
Cedrela tonduzii	Cedro, Cedro dulce, Cedar	—	D ^{\$4} (11.04.2008)	Central America
Dalbergia nigra	Brazilian Rosewood, Bahia Rosewood, Rio rosewood, Brasilianisches Rosenholz, Cabeuna, Cabi-una do mato, Cabiuna ra-jada, Camboriuna, Jaca-randa de Bahia, J. de indios, J. negro, J. preto, J. cavi-una, J. zinho, Palisander, Palisandro de Brasil, P. de Rio, ianowood, Rio-Palisander, Saborana, Urauna	I (11.06.1992 für EU 20.07.1992)	A (01.06.1997)	Brazil
Dalbergia spp. 4. All species of the Genus Dalbergia excepted the	Palisander, Rosewood, Rosenholz	II ^{#15} (02.01.2017)	B ^{#15} (04.02.2017)	Africa, Asia, Middle and South America,

species *Dalbergia nigra*
(Appendix I CITES/Annex
A EU-Regulation)

5. For a
better overview you will
find the list of these spe-
cies separately at the
end of the table after the
explanations of the an-
notations.

<i>Dalbergia</i> spp. All species of the popula- tion of Madagascar (at present 48 species) (5 <i>Dalbergia</i>-species of the population of Mada- gascar were previously protected in appendix III CITES and annex C of the EU-regulation. You find the listing of these spe- cies separate after the explanation of the anno- tations for the better clarity)	Madagascar Rosewood, Madagascar-Palisander, Rosenholz, Palisander	II^{#5} (12.06.2013)	B^{#5} (10.08.2013)	Madagascar
		III^{#5} (22.12.2011)	C^{#5} (15.12.2012)	
		Country of Listing: Madagascar	(Species see be- low	
		(Species see below after the explana- tions of the annota- tions)	after the expla- nations of the annotations)	
<i>Dalbergia calycina</i> (syn. <i>Amnerimnon</i> caly- cium) Only population of Gua- temala		III^{#6} (05.02.2015)	C^{#6} (26.11.2016)	Central Amer- ica, Mexico
		Country of listing: Guatemala	Country of list- ing: Guatemala	
<i>Dalbergia</i> cochinchinen- sis (syn. <i>Dalbergia cam- bodiana</i>)	Thailand Rosewood, Siamese Rosewood, Phayung	II^{#5} (12.06.2013)	B^{#5} (10.08.2013)	Cambodia, Laos, Thailand, Vietnam
<i>Dalbergia cubilquitzen- sis</i> Only population of Gua- temala		III^{#6} (05.02.2015)	C^{#6} (26.11.2016)	Central Amer- ica, Mexico

		Country of listing: Guatemala	Country of listing: Guatemala	
Dalbergia darienensis Only population of Panama		III ^{#2} (22.12.2011) Country of listing: Panama	C ^{#2} (15.12.2012)	Columbia, Panama
Dalbergia glomerata (syn. Amnerimnon glom- eratum) Only population of Guatemala		III ^{#6} (05.02.2015) Country of listing: Guatemala	C ^{#6} (26.11.2016) Country of listing: Guatemala	Central America, Mexico
Dalbergia granadillo (syn. Amnerimnon gran- adillo)	Granadillo Palisander, Granadillo morado	II ^{#6} (12.06.2013)	B ^{#6} (10.08.2013) D ^{\$4} (11.04.2008)	Mexico
Dalbergia retusa (syn. Amnerimnon retu- sum)	Nicaragua rosewood, Cocobolo, Palo negro, Salamanderholz	II ^{#6} (12.06.2013) III ^{#5} (only population of Guatemala) (12.02.2008) III ^{#2} (only population of Panama) (22.12.2011) Countries of listing: Guatemala, Panama	B ^{#6} (10.08.2013) C ^{#5} (only population of Guatemala) (11.04.2008) C ^{#2} (only population of Panama) (15.12.2012) D ^{\$4} (excepted for the populations, which were	Central America, Mexico

				included in annex C) (15.12.2012) (11.04.2008)
Dalbergia stevensonii	Honduras rosewood, Nagaed, Honduras Palisander	II ^{#6} (12.06.2013)	B ^{#6} (10.08.2013)	Belize, Guatemala, Honduras
		III ^{#5} (only population of Guatemala) (12.02.2008) Country of listing: Guatemala	C ^{#5} (only population of Guatemala) (11.04.2008) D ^{§4} (excepted for the populations, which were included in annex C) (11.04.2008)	
Dalbergia tucurensis	Guatemalan rosewood	III ^{#6} (05.02.2015) Country of listing: Guatemala (24.06.2014) Country of listing: Nicaragua	C ^{#6} (26.11.2016) Country of listing: Guatemala (20.12.2014) Country of listing: Nicaragua	Central America, Mexico
Diospyros spp. 6. All species of the population of Madagascar. 7. Not any other population is included in the CITES appendixes respectively in the EU regulation.	Ebony wood, Ebenholz	II ^{#5} (12.06.2013)	B ^{#5} (10.08.2013)	Madagascar
		III ^{#5} (22.12.2011) Country of listing: Madagascar	C ^{#5} (15.12.2012)	

8. For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations.

(Species see below after the explanations of the annotations)

(Species see below after the explanations of the annotations)

<i>Dipteryx spp.</i> 9. All species of the genus <i>Dipteryx</i> spp. For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations.	Cumaru, Tonka	II ^{#17} (25.11.2024)	B ^{#17} (25.11.2024) D ^{\$5} (20.05.2023)	Central and South America
<i>Dipteryx panamensis</i> (syn. <i>Dipteryx oleifera</i>)	Almendo de montana, Waldmandelbaum	II ^{#17} (25.11.2024) III (13.02.2003) Countries of listing: Costa Rica, Nicaragua	B ^{#17} (25.11.2024) C (30.08.2003)	Nicaragua, Costa Rica, Colombia, Panama, Honduras
<i>Entandrophragma spp.</i>	Cedars, Sapele mahogany	----	D ^{\$5} (29.06.2026)	Tropical Africa
<i>Entandrophragma cylindricum</i>	Aboudikro, Bibitu, Lotouhé, Sapelli, Sapele, Sapele mahogany, Sapeli Mahonie	----	D ^{\$5} (19.01.2022)	Tropical Africa
<i>Fitzroya cupressoides</i> (syn. <i>F. patagonica</i>)	Chilean false larch, Patagonian Cypress, Alerce, Cipres de la Patagonia, Lahuan, Lahuen, Zypresseneibe	I (22.10.1987, all Populations) II (29.07.1983, only the population of the Chilean coast, all other populations remained in I) I (01.07.1975)	A (01.06.1997)	Chile, Argentina
<i>Fraxinus mandshurica</i>	Manchurian Ash, Asiatische Schwarzesche, Mandschurische Esche,	III ^{#5} (24.06.2014)	C ^{#5} (20.12.2014)	South east Russian Federation, China, Korea, Japan

Country of listing:
Russian Federation

Gonystylus spp. <i>All species of the genus Gonystylus spp. For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations.</i>	Ramin, Melawis	II ^{#4} (12.01.2005) III (06.08.2001)	B ^{#4} (22.08.2005) C (05.08.2001)	Brunei, Indonesia, Malaysia, Singapur
Guaiacum spp.	Bois de Gaiac, B. d. vie, B. saint, Bastard Lignum-vitae, Commoner Lignum-vitae, Gaiac male, G. officinale, Guayac, Guayacan genuino, G. negro, Guayaco, Madera de gaiac, Palo sano, P. santo, Pockholz, Tree of live, Wood of live, Guayacan blanco, Guayacancillo,	II ^{#2} (13.02.2003) - <i>G. officinale</i> (11.06.1992) - <i>G. sanctum</i> (01.07.1975)	B ^{#2} (30.08.2003) - <i>G. officinale</i> (01.06.1997) - <i>G. sanctum</i> (01.06.1997)	Caribbean, Colombia, Florida (USA) Mexico, Central America, Venezuela
Guibourtia demeusei (syn. <i>Copaifera demeusei</i>)	Bubinga	II ^{#15} (02.01.2017)	B ^{#15} (04.02.2017)	West Africa
Guibourtia pellegriniana (syn. <i>Copaifera coleosperma</i>)	Bubinga	II ^{#15} (02.01.2017)	B ^{#15} (04.02.2017)	West Africa
Guibourtia tessmannii (syn. <i>Copaifera tessmannii</i>)	Bubinga	II ^{#15} (02.01.2017)	B ^{#15} (04.02.2017)	West Africa
Gyrinops spp	Agarwood, Agarholz, Adlerholz	II ^{#14} (12.01.2005)	B ^{#14} (22.08.2005)	Indomalaysia, Laos, Sri Lanka
Handroanthus spp. 10. All species of the genus Handroanthus. For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations.	Ipê, Lapacho, Poui, Pau d'arco	II ^{#17} (25.11.2024)	B ^{#17} (25.11.2024) D ^{§5} (19.01.2022)	Central and South America, Caribbean,

<i>Khaya</i> spp. 11. Only species of the African populations; For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations	Afrikanisches Mahagoni, Lagos-Mahagoni, Kap Lopez Mahagoni, Grand Bassam Mahagoni, Douala mahonie	II ^{#17} (23.02.2023)	D ^{\$5} (19.01.2022)	Tropical Africa
<i>Magnolia liliifera</i> var. <i>obovata</i>	Egg-Magnolia, Balukhat, Boramthuri, Champak, Pan-Pankakro, Patpatta, Safan, Siffo, Taungme Baum	III ^{#1} (16.11.1975) Country of listing: Nepal	C ^{#1} (01.06.1997)	Asia
<i>Millettia stuhlmannii</i>	Jambire, Mpande, Pangapanga, Partridge wood	----	D ^{\$5} (19.01.2022)	Tropical Africa
<i>Okoubaka aubrevillei</i>	Okoubakabaum	----	D ^{\$2} (19.01.2022)	West Africa
<i>Oreomunnea pterocarpa</i> (syn: <i>Engelhardtia pterocarpa</i>)	Gavilan blanco, Gavilan	II ^{#4} (11.06.1992) I (01.07.1975)	B ^{#4} (01.06.1997)	Costa Rica, Mexico, Panama
<i>Osyris lanceolata</i> 12. Only the populations of Burundi, Ethiopia, Kenya, Ruanda, Uganda, Tanzania; Not any other population is included in the CITES appendixes respectively in the EU regulation	African Sandalwood, Afrikanisches Sandelholz	II ^{#2} (12.06.2012)	B ^{#2} (10.08.2013)	Eastern and Southern Africa
<i>Paubrasilia echinata</i> (syn. <i>Caesalpinia e.</i>)	Pernambuco wood, Brazil Wood, Fernambuk, Pau Brasil	II ^{#10} (13.09.2007)	B ^{#10} (11.04.2008)	Brazil
<i>Pericopsis elata</i> (syn: <i>Afrormosia elata</i>)	Satinwood, Yellow Satinwood, Afrormosia, Awawai, Assamela, Ayin, Baracara, Bohala, Egbi, Ejen, Elo, Jatobalydo Igapo, Kokriki, Kokrodua, Mekoe, Mohole, Obang, Ole, Olel pardo, Peonio, Tento,	II ^{#17} (26.11.2019) II ^{#5} (11.06.1992)	B ^{#17} (14.12.2019)	West- and Central Africa

<i>Pilgerodendron uviferum</i> (syn: <i>Juniperus uvifera</i>, <i>Libocedrus tetragona</i>, <i>L. uvifera</i>, <i>Thuja tetragona</i>)	Cedro, Cedar, Cipres de Chile, C. de las Guaitecas, C. de las Islas Len, Chilenische Flussszeder, Cipres, Ten	I (01.07.1975)	A (01.06.1997)	Chile, Argentina
<i>Pinus koraiensis</i> (syn. <i>Pinus mandschurica</i>)	Korean Pine, Korea-Kiefer	III ^{#5} (14.10.2010) Country of listing: Russian Federation	C ^{#5} (14.02.2012)	China, Japan, Korea, Russian Federation
<i>Platymiscium pleiostachyum</i>	Cristobal, Macacauba, Ñambar	II ^{#4} (18.01.1990) I (01.07.1975)	B ^{#4} (01.06.1997)	Central America
<i>Podocarpus neriifolius</i>	Amanu, Banuas, Black pine, Brown-pine, Bukiti, Cachar, Cipres, Cipresillo, C. loreto, Dionai, Djamudju, Gunsí, Igem, Jamuju, Jati, Jiniari, Kuasi, Lampias, Landin, Lant, Lohansung, Malaal-maciga, Manio, Maniu, Matai, Merak, Miro, Mse, Musenene, Mushunga, Oleanderblättrige Steineibe, Pasnig, Paya, Payarmei, Pine, Pinho bravo, P. castaneto, P. chaquiro, Podo de Asia, P. lant, Podo, Podoc, Rem-payan, Sampinur, Santada, Setada, Slusala, Thitmin, Thitmin-po	III ^{#1} (16.11.1975) Country of listing Nepal	C ^{#1} (01.06.1997)	Asia
<i>Podocarpus parlatorei</i> (syn: <i>P. angustifolia</i>)	Manio, Monteromero, Pino blanco, Pino del cerro, P. montano, Pinoholzbaum, White pine	I (01.07.1975)	A (01.06.1997)	Argentina, Bolivia, Peru
<i>Prunus africana</i> (syn: <i>Pygeum africanum</i>)	African cherry, Red stinkwood, Afrikanisches Stinkholz, Alumty, Gwane, Lluo, Mgambo, Mkomohoyo, Mseneo, Muiri, Ntasea, Pygeum, Tenduet, Wotangue,	II ^{#4} (16.02.1995)	B ^{#4} (01.06.1997)	Africa
<i>Pterocarpus</i> spp. 13. Only species of the African populations; For a better overview you will find the list of these species separately at the end of	African Padauk, Mlombwa, Mukula, Mkula, Mukulungu, Padouk, Bloodwood, Barwood	II ^{#17} (23.02.2023)	B ^{#17} (20.05.2023)	Afrika

the table after the explanations of the annotations

<i>Pterocarpus erinaceus</i>	African Rosewood, Pau Sangué, Vene	II (02.01.2017)	B (04.02.2017)	Central Africa West Africa
		III ^{#1} (09.05.2016)	C ^{#1} (26.11.2016)	
		Country of listing: Senegal	Country of listing: Senegal	
<i>Pterocarpus tinctorius</i>	African padauk, Mukula, Mkula, Nkula, Mlombwa, Mkurungu, Mkulungu, Tacula, Mninga maij	II ^{#6} (26.11.2019)	B ^{#6} (14.12.2019)	Angola, Dem. Rep. Congo, Burundi, Tanzania, Malawi, Mozambique, Zambia
<i>Pterocarpus macrocarpus</i>	Burma-Padouk, Maidu	----	D ^{§4} (19.01.2022)	Cambodia, Laos, Myanmar, Thailand, Vietnam
<i>Pterocarpus santalinus</i>	Red sandal Wood, Red-sanders, Agarú, Agarugandhamu, Atti, Chandanum, Honne, Lal Chan, Lalchandan, Patrangam, Raktachandan, Raktagandhamu, Ratamjali, Rotes Sandelholz, Sandalo rojo, Sivappu, Tila-parnni, Yerra	II ^{#7} (16.02.1995)	B ^{#7} (01.06.1997)	India, Sri Lanka
<i>Quercus mongolica</i>	Mongolian oak, Mongolische Eiche	III ^{#5} (24.06.2014)	C ^{#5} (20.12.2014)	China, Japan, Korea, Mongolia, Russian Federation (East Siberia)
		Country of listing: Russian Federation		
<i>Roseodendron spp.</i>	Primavera, Araguaneý	II ^{#17} (25.11.2024)	B ^{#17} (25.11.2024)	Central America, South Mexico, Colombia, Venezuela,
			D ^{§5} (19.01.2022)	
<i>Roseodendron chryseum</i>	Araguaneý, Cañaguatè, Flor de amarillo, Roble amarillo	II ^{#17}	B ^{#17}	Colombia, Venezuela

		(25.11.2024)	(25.11.2024) <i>D</i> ^{§5} (19.01.2022)	
<i>Roseodendron donnell-smithii</i>	Gold tree, Guayacán blanco, Guayapé, Palo blanco, Primavera, San Juan, White Mahogany	II ^{#17} (25.11.2024)	B ^{#17} (25.11.2024) <i>D</i> ^{§5} (19.01.2022)	Central and South America
<i>Shorea spp.</i>	Balau, Bangkirai, Lauan, Meranti	----	<i>D</i> ^{§5} (29.06.2026)	Central and Southeast Asia
<i>Swietenia humilis</i> (syn: <i>S. bijuga</i>, <i>S. cir-rhata</i>)	Mexican mahogany, Honduras mahogany, Caoba de Honduras, Cao-bach, Cobano, Cuabilla, Flor de venadillo, Gateado Mahagoni-baum, Guayach, Mabú, Mova, Palo de Zopilote, Venadillo, Zapaton	II ^{#4} (01.07.1975)	B ^{#4} (01.06.1997)	Central America
<i>Swietenia macrophylla</i> (syn: <i>S. candollei</i>, <i>S. belizensis</i>,) Only populations of the Neotropics = countries which belong to the tropical and subtropical regions of Central and South America, including Mexico and the Caribbean	American mahogany, Bigleaf mahogany, Brazilian mahogany, Acajou amerique, Aguano, Amerikanischer Mahagoni, Araputanga, Caoba de Centro America, Caoba de hoja ancha, Caoba de Honduras, Caoba del Atlantico, Caoba del sur, Caoba, Coabillo, Cobano, Gateado, Gateads, Mahogany, Mara boliviana, Mara, Mogno, Mogu, New World Mahogany, Orura, Swietenie, Venadillo, Zapaton, Zopilote	II ^{#6} (15.11.2003) III (16.11.1995)	B ^{#6} (15.11.2003) C (01.06.1997)	Central and South America
<i>Swietenia mahagoni</i> (syn: <i>Cedrela mahagoni</i>, <i>Cedrus mahagoni</i>, <i>S. mahagoni</i>, <i>S. fabrilis</i>, <i>S. acutifolia</i>, <i>S. m. var. praecociflora</i>)	Acajou de Cuba, Acajou de Santo Domingo, Aguano, Amerikanisches Mahagoni, Caoba de Cuba, Caoba española, Caoba, Caobilla, Chiculte, Coabillo, Cobano, Cuban Mahagoni, Domini-can mahagoni, Echter Mahagoni, Gateado, jamaican mahagoni, Madeira, Mahog, Mahogany, Mogno, Orura	II ^{#5} (11.06.1992)	B ^{#5} (01.06.1997)	Caribbean region, Florida (USA), Northern South America

<i>Tabebuia</i> spp. 14. All species of the genus <i>Tabebuia</i> . For a better overview you will find the list of these species separately at the end of the table after the explanations of the annotations.	Amapate, Amapola, Flor morado, Macuilixuatl, Mayflower, Roble, Roble blanco, Roble de sabana, Rosa morada, White Cedar	II ^{#17} (25.11.2024)	B ^{#17} (25.11.2024) D ^{§5} (19.01.2022)	Tropical South America, Central America, Caribbean
<i>Taxus chinensis</i> and infraspecific taxa of this species (syn. <i>T. wallichiana</i> var. <i>chinensis</i>)	Chinese Yew, Chinesische Eibe	II ^{#2} (12.01.2005)	B ^{#2} (22.08.2005)	Asia
<i>Taxus cuspidata</i> and infraspecific taxa of this species	Japanese Yew, Japanische Eibe	II ^{#2} (12.01.2005)	B ^{#2 und (5)} (22.08.2005)	Asia
<i>Taxus fuana</i> and infraspecific taxa of this species		II ^{#2} (12.01.2005)	B ^{#2} (22.08.2005)	Asia
<i>Taxus sumatrana</i> and infraspecific taxa of this species (syn. <i>Lephalotaxus sumatrana</i>)		II ^{#2} (12.01.2005)	B ^{#2} (22.08.2005)	Asia
<i>Taxus wallichiana</i> (syn: <i>T.baccata</i> ssp. <i>wallichiana</i>)	Himalayan Yew, Barme salle, Basmi, Bhirmie, Birmi chogam, Birmi, Brahmi, Burmie, Cheongbu, Dhunu, Dingsableh, Gallu, lichujhau, Manduparni, Postil, Talis patra, Tcheiraygulab, Teheiray-sulah, Tejo de Asia, Tejo del Himalaya, Thuner, Thuno, Tunki, Wal-lichs Eibe, Zirnupbirmi	II ^{#2} (16.02.1995)	B ^{#2} (01.06.1997)	Asia
<i>Tetracentron sinense</i>	Ährenblütiger Scheinjudasbaum, Tetracentron	III ^{#1} (16.11.1975) Country of listing: Nepal	C ^{#1} (01.06.1997)	Bhutan, China, India, Myanmar, Nepal, Vietnam
<i>Widdringtonia whytei</i>	Mulanje cedar, Mulanje cypress, Mkunguza	II (26.11.2019)	B (14.12.2019)	Malawi

Explanation of the annotations

#1

Designates all parts and derivatives, except:

- a) seeds, spores and pollen (including pollinia);
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants; and
- d) fruits and parts and derivatives thereof of artificially propagated plants of the genus *Vanilla*.

#2

Designates all parts and derivatives, except:

- a) seeds and pollen; and
- b) finished products packaged and ready for retail trade.

#4

Designates all parts and derivatives, except:

- a) seeds (including seedpods of *Orchidaceae*), spores and pollen (including pollinia). The exemption does not apply to seeds from *Cactaceae spp.* exported from Mexico, and to seeds from *Beccariophoenix madagasca-riensis* and *Neodypsis decaryi* exported from Madagascar;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits and parts and derivatives thereof of naturalized or artificially propagated plants of the genus *Vanilla (Orchidaceae)* and of the family *Cactaceae*;
- e) stems, flowers, and parts and derivatives thereof of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus (Cactaceae)*; and
- f) finished products of *Euphorbia antispyhilitica* packaged and ready for retail trade.

#5

Designates logs, sawn wood and veneer sheets.

#6

Designates logs, sawn wood, veneer sheets and plywood.

#7

Designates logs, wood-chips, powder and extracts. (until 12.09.2007 this annotation read as follows: Designates logs, wood-chips and unprocessed broken material; for the European union valid until 10.04.2008)

#10

All parts and derivatives, except finished musical instruments, finished musical instrument accessories and finished musical instrument parts for non-commercial trade only for the purpose of paid and unpaid performance, personal use, display, loan, competition, teaching, appraisal, or repair, provided that this does not change the ownership and that such transport is not for sale, transfer or disposal of the specimen outside of the owner's usual State of residence. Zero quota for wild-harvested specimens (source code W) traded for commercial purposes.

#10 (wording valid until 04.03.2026 CITES, until 04.03.2026 for EU)

All parts, derivatives and finished products, except re-export of finished musical instruments, finished musical instrument accessories and finished musical instrument parts.

#10 (wording valid until 22.02.2023 CITES, until 19.05.2023 for EU)

Designates logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.

#11

Designates logs, sawn wood, veneer sheets, plywood, powder and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

(until 01.01.2017 this annotation read as follows:

Designates logs, sawn wood, veneer sheets, plywood, powder and extracts.

#12

Designates logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation

#14

Designates all parts and derivatives, except:

- (a) seeds and pollen;
- (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- (c) fruits;
- (d) leaves;
- (e) exhausted agarwood powder, including compressed powder in all shapes;
- (f) finished products packaged and ready for retail trade, this exemption does not apply to wood chips, beads, prayer beads and carvings. *(until 01.01.2017 letter (f) read as follows: finished products packaged and ready for retail trade, this exemption does not apply to beads, prayer beads and carvings.*
- (g) finished products derived from artificial propagation packaged and ready for retail trade of cosmetics containing parts and derivatives of *Bletilla striata*, *Cycnoches cooperi*, *Gastrodia elata*, *Phalaenopsis amabilis* or *Phalaenopsis lobbii*.

#15 (from 26.11.2019 CITES, from 14.12.2019 EU)

Designates all parts and derivatives, except:

- a) leaves, flowers, pollen, fruit, and seeds;
- b) finished products to a maximum weight of wood of the listed species up to 10 kg per shipment;
- c) finished musical instruments, finished musical instrument parts and finished musical instrument accessories
- d) parts and derivatives of *Dalbergia cochinchinensis* which are covered by annotation #4;
- e) parts and derivatives of *Dalbergia* spp. originating and exported from Mexico which are covered by annotation #6.

#15 (wording valid until 25.11.2019 CITES, until 13.12.2019 for EU)

Designates all parts and derivatives, except:

- a) leaves, flowers, pollen, fruit, and seeds;
- b) non-commercial trade of a maximum total weight of 10 kg per shipment;
- c) parts and derivatives of *Dalbergia cochinchinensis* which are covered by Annotation #4;
- d) parts and derivatives of *Dalbergia* spp. originating and exported from Mexico which are covered by Annotation #6.

Designates all parts and derivatives, except:

- a) leaves, flowers, pollen, fruit, and seeds;
- b) non-commercial trade of a maximum total weight of 10 kg per shipment;
- c) parts and derivatives of *Dalbergia cochinchinensis* which are covered by Annotation #4;
- d) parts and derivatives of *Dalbergia* spp. originating and exported from Mexico which are covered by Annotation #6.

#16

Designates seeds, fruits and oils

#17

Designates logs, sawn wood, veneer sheets, plywood and transformed wood

§2

Dried and fresh plants, including, where appropriate; leaves, roots/rootstock, stems, seeds/spores, bark and fruits

§3

Logs, sawn wood and veneer sheets

§4

Designates all parts and derivatives, except:

- (a) seeds and pollen

(b) finished products packaged and ready for retail trade

§5

Logs, sawn wood, veneer sheets, plywood and transformed wood. (*)

(*) Defined by Harmonized System code 44.09: Wood (including strips, friezes for parquet flooring, not assembled), continuously shaped (tongued, grooved, v-jointed, beaded or the like) along any edges, ends or faces, whether or not planed, sanded or end-jointed.

(5)

Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text "artificially propagated", are not subject to the provisions of the Convention

***Afzelia* spp. (Afrikanisches Mahagoni, Pod mahogany)**

Alphabetical list of African *afzelia* species (*Afzelia* spp.) which have been listed in Appendix II#17 CITES since 23.02.2023 and in Appendix B#17 VO(EG) 338/97 since 20.05.2023. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive.

Afzelia africana, *Afzelia bella*, *Afzelia bipindensis*, *Afzelia pachyloba*, *Afzelia parviflora*, *Afzelia peturei*, *Afzelia quanzensis*

***Cedrela* spp. (Cedro, Cedar)**

Alphabetical list of cedar species (*Cedrela* spp.) which have been listed in Appendix II#6 CITES since 28.08.2020 and in Appendix B#6 VO(EG) 338/97 since 28.08.2020. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive.

The species previously listed in Appendix III#5 CITES and Annex C#6 or Annex D§4 of Regulation (EC) 338/97 are listed separately above in the table with all relevant data.

Cedrela angustifolia (Syn. *Cedrela lilloi*), *Cedrela balansae*, *Cedrela discolour*, *Cedrela dugesii*, *Cedrela fissilis*, *Cedrela kuelapensis*, *Cedrela lilloi*, *Cedrela longipetiolulata*, *Cedrela molinensis*, *Cedrela monroensis*, *Cedrela montana*, *Cedrela nebulosi*, *Cedrela oaxacensis*, *Cedrela odorata* (Syn.: *Cedrela adenophylla*, *Cedrela brachystachya*, *Cedrela brownie*, *Cedrela caldasana*, *Cedrela cubensis*, *Cedrela glaziovii*, *Cedrela guianensis*, *Cedrela hassleri*, *Cedrela huberi*, *Cedrela imparipinnata*, *Cedrela longipes*, *Cedrela mexicana*, *Cedrela mexicana* var. *puberula*, *Cedrela mourae*, *Cedrela occidentalis*, *Cedrela odorata* var. *xerogeiton*, *Cedrela palustris*, *Cedrela paraguariensis*, *Cedrela paraguariensis* var. *brachystachya*, *Cedrela paraguariensis* var. *hassleri*, *Cedrela paraguariensis* var. *multijuga*, *Cedrela rotunda*, *Cedrela sintenisii*, *Cedrela velloziana*, *Cedrela whitfordii*, *Cedrela yucatana*, *Cedrela saltensis*, *Cedrela salvadorensis*, *Cedrela tonduzii*, *Cedrela weberbaueri*

***Dalbergia* spp. (Palisander, with exception of the species *Dalbergia nigra*)**

Alphabetical list of rosewood tree species (*Dalbergia* spp.) which have been listed in Appendix II#15 CITES since 02.01.2017 and in Appendix B#15 VO(EG) 338/97 since 04.02.2017. Due to constantly changing taxonomic and systematic findings, the list cannot be regarded as complete and exhaustive. Listed are all species of the genus *Dalbergia* spp.

The species *Dalbergia nigra* is not mentioned here as it is excluded from the *Dalbergia* spp. listing and is listed in Appendix I CITES and Appendix A of Regulation (EC) 338/97:

Dalbergia abbreviate, *Dalbergia abrahamii*, *Dalbergia acariiantha*, *Dalbergia acuta*, *Dalbergia acutifoliolata*, *Dalbergia adami*, *Dalbergia afzeliana*, *Dalbergia agudeloii*, *Dalbergia ajudana*, *Dalbergia albertisii*, *Dalbergia albiflora*, *Dalbergia altissima*, *Dalbergia amazonica*, *Dalbergia amerimmon*, *Dalbergia andampensis*, *Dalbergia arbutifolia*, *Dalbergia arbutifolia* subsp. *Aberrans*, *Dalbergia armata*, *Dalbergia asamica*, *Dalbergia aurea*, *Dalbergia bakeri*, *Dalbergia balansae*, *Dalbergia bariensis*, *Dalbergia baronii*, *Dalbergia bathiei*, *Dalbergia beccarii*, *Dalbergia beddomei*, *Dalbergia benthamii*, *Dalbergia berteroi*, *Dalbergia bignoniae*, *Dalbergia bin-tuluensis*, *Dalbergia boehmii* subsp. *Stuhlmannii*, *Dalbergia boehmii*, *Dalbergia bojeri*, *Dalbergia boniana*, *Dalbergia borneensis*, *Dalbergia brachystachya*, *Dalbergia bracteolata*, *Dalbergia brasiliensis*, *Dalbergia brownie*, *Dalbergia burmanica*, *Dalbergia calderonii*, *Dalbergia calycina*, *Dalbergia cambodiana*, *Dalbergia campenonii*, *Dalbergia cana*, *Dalbergia candenatensis*, *Dalbergia canescens*, *Dalbergia capuronii*, *Dalbergia carringtoniana*, *Dalbergia catingicola*, *Dalbergia caudate*, *Dalbergia cearensis*, *Dalbergia chapelieri*, *Dalbergia chlorocarpa*, *Dalbergia chontalensis*, *Dalbergia clarkei*, *Dalbergia cochinchinensis*, *Dalbergia commiphoroideis*, *Dalbergia comorensis*, *Dalbergia confertiflora*, *Dalbergia congensis*, *Dalbergia congesta*, *Dalbergia congestiflora*, *Dalbergia coromandeliana*, *Dalbergia crispa*, *Dalbergia cubilquitzensis*, *Dalbergia cucullata*, *Dalbergia cuiabensis*, *Dalbergia cultrate*, *Dalbergia cumingiana*, *Dalbergia curtisii*, *Dalbergia cuscatlanica*, *Dalbergia dalzielii*, *Dalbergia darienensis*, *Dalbergia davidii*, *Dalbergia debilis*, *Dalbergia decipularis*, *Dalbergia delphinensis*, *Dalbergia densa*, *Dalbergia densiflora*, *Dalbergia dialoides*, *Dalbergia discolor*, *Dalbergia dongnaiensis*, *Dalbergia duarensis*, *Dalbergia duperreana*, *Dalbergia dyeriana*, *Dalbergia ealaensis*, *Dalbergia ecastaphyllum*, *Dalbergia elegans*, *Dalbergia emirnenensis*, *Dalbergia enneaphylla*, *Dalbergia entadoides*, *Dalbergia eremicola*, *Dalbergia ernestulei*, *Dalbergia errans*, *Dalbergia erubescens*, *Dalbergia falcata*, *Dalbergia fischeri*, *Dalbergia floribunda*, *Dalbergia florifera*, *Dalbergia foliolosa*, *Dalbergia foliosa*, *Dalbergia forbesii*, *Dalbergia fouilloiyana*, *Dalbergia frutescens*, *Dalbergia frutescens* var. *tomentosa*, *Dalbergia funera*, *Dalbergia fusca*

Continuation *Dalbergia* spp. (except the species *Dalbergia nigra*)

Dalbergia gardneriana, *Dalbergia gentilii*, *Dalbergia gilbertii*, *Dalbergia glaberrima*, *Dalbergia glabra*, *Dalbergia glandulosa*, *Dalbergia glaucescens*, *Dalbergia glaucocarpa*, *Dalbergia glaziovii*, *Dalbergia glomerata*, *Dalbergia godefroyi*, *Dalbergia gossweileri*, *Dalbergia gracilis*, *Dalbergia granadillo*, *Dalbergia grandibracteata*, *Dalbergia grandistipula*, *Dalbergia greveana*, *Dalbergia guttembergii*, *Dalbergia hainanensi*, *Dalbergia hancei*, *Dalbergia havilandii*, *Dalbergia henryana*, *Dalbergia heudelotii*, *Dalbergia hiemalis*, *Dalbergia hildebrandtii* var. *scorpioides*, *Dalbergia hildebrandtii*, *Dalbergia hirticalyx*, *Dalbergia horrida*, *Dalbergia horrida* var. *glabrescens*, *Dalbergia hortensis*, *Dalbergia hoseana*, *Dalbergia hostilis*, *Dalbergia hullettii*, *Dalbergia humbertii*, *Dalbergia hupeana*, *Dalbergia hygrophila*, *Dalbergia intermedia*, *Dalbergia intibucana*, *Dalbergia inundata*, *Dalbergia iquitosensis*, *Dalbergia jaherii*, *Dalbergia jingxiensis*, *Dalbergia junghuhnii*, *Dalbergia kerrii*, *Dalbergia kingiana*, *Dalbergia kisantuensis*, *Dalbergia kostermansii*, *Dalbergia kunstleri*, *Dalbergia kurzii*, *Dalbergia lacei*, *Dalbergia lactea*, *Dalbergia lakhonensis*, *Dalbergia lanceolaria*, *Dalbergia lanceolaria* subsp. *Paniculata*, *Dalbergia lanceolaria* var. *maymyensis*, *Dalbergia lastoursvillensis*, *Dalbergia lateriflora*, *Dalbergia latifolia*, *Dalbergia laxiflora*, *Dalbergia lemurica*, *Dalbergia librevillensis*, *Dalbergia longepedunculata*, *Dalbergia louisii*, *Dalbergia louvelii*, *Dalbergia luteola*, *Dalbergia macrosperma*, *Dalbergia madagascariensis* var. *poolii*, *Dalbergia madagascariensis*, *Dalbergia malabarica*, *Dalbergia malangensis*, *Dalbergia mammosa*, *Dalbergia marcaniana*,

Dalbergia maritima, *Dalbergia martini*, *Dalbergia mayumbensis*, *Dalbergia melanocardium*, *Dalbergia mel-anoxylon*, *Dalbergia menoeides*, *Dalbergia mexicana*, *Dalbergia microphylla*, *Dalbergia millettii*, *Dalbergia millettii* var. *mimosoides*, *Dalbergia mimosella*, *Dalbergia mimosoides*, *Dalbergia miscolobium*,

Dalbergia modesta, *Dalbergia mollis*, *Dalbergiamollis* var. *menabeensis*, *Dalbergia monetaria*, *Dalbergia monophylla*, *Dalbergia monticola*, *Dalbergia multijuga*, *Dalbergia negrensis*, *Dalbergia neoperrieri*, *Dalbergia ngounyensis*, *Dalbergia nitida*, *Dalbergia nitidula*, *Dalbergia noldeae*, *Dalbergia normandii*, *Dalbergia oblongifolia*, *Dalbergia obovate*, *Dalbergia obtusifolia*, *Dalbergia odorifera*, *Dalbergia oligophylla*, *Dalbergia oliveri*, *Dalbergia orientalis*, *Dalbergia ovata*, *Dalbergia ovata* var. *glomeriflora*, *Dalbergia pachycarpa*, *Dalbergia palo-escrito*, *Dalbergia parviflora*, *Dalbergia paucifoliolata*, *Dalbergia peguensis*, *Dalbergia peishaensis*, *Dalbergia peltieri*, *Dalbergia pervillei*, *Dalbergia pierreana*, *Dalbergia pinnata*, *Dalbergia pinnata* var. *acaciifolia*, *Dalbergia pluri-flora*, *Dalbergia polyadelpa*, *Dalbergia polyphylla*, *Dalbergia prainii*, *Dalbergia pseudo-ovata*, *Dalbergia pseudo-sissoo*, *Dalbergia pseudobaronii*, *Dalbergia purpurascens*, *Dalbergia reniformis*, *Dalbergia reticulate*, *Dalbergia retusa*, *Dalbergia revolute*, *Dalbergia rhachiflexa*, *Dalbergia richardsii*, *Dalbergia riedelii*, *Dalbergia rimosa*, *Dalbergia rimosa* var. *foliacea*, *Dalbergia riparia*, *Dalbergia rostrate*, *Dalbergia rubiginosa*, *Dalbergia ruddiae*, *Dalbergia rufa*, *Dalbergia rugose*, *Dalbergia sacerdotum*, *Dalbergia salvanaturae*, *Dalbergia sam-besiaca*, *Dalbergia sampaioana*, *Dalbergia sandakanensis*, *Dalbergia saxatilis*, *Dalbergia saxatilis* var. *preussii*, *Dalbergia scortechinii*, *Dalbergia sericea*, *Dalbergia setifera*, *Dalbergia simpsonii*, *Dalbergia sis-soides*, *Dalbergia sissoo*,

Dalbergia spinose, *Dalbergia spruceana*, *Dalbergia stenophylla*, *Dalbergia stercoracea*, *Dalbergia stevenso-nii*, *Dalbergia stipulacea*, *Dalbergia suaresensis*, *Dalbergia subcymosa*, *Dalbergia succirubra*, *Dalbergia teijsmannii*, *Dalbergia teixeirae*, *Dalbergia thomsonii*, *Dalbergia thorelii*, *Dalbergia tilarana*, *Dalbergia tinne-velliensis*, *Dalbergia tonkinensis*, *Dalbergia travancorica*, *Dalbergia trichocarpa*, *Dalbergia tricolor*, *Dalbergia tsaratananensis*, *Dalbergia tsiandalana*, *Dalbergia tsoi*, *Dalbergia tucurensis*, *Dalbergia uarandensis*, *Dalbergia urschii*, *Dalbergia vacciniifolia*, *Dalbergia velutina*, *Dalbergia velutina* var. *Succirubra*, *Dalbergia verruco-sa*, *Dalbergia viguieri*, *Dalbergia villosa*, *Dalbergia villosa* var. *barretoana*, *Dalbergia volubilis*, *Dalbergia wattii*, *Dalbergia xerophila*, *Dalbergia ximengensis*, *Dalbergia yunnanensis*, *Dalbergia yunnanensis* var. *col-lettii*

***Dalbergia* spp. (Palisander) of the Madagascan population**

History of the protection status

Dalbergia louvelii, *Dalbergia monticola*, *Dalbergia normandii*, *Dalbergia purpurascens*, *Dalbergia xerophila*

22.12.2011 until 11.06.2013 Appendix III#5 CITES

15.12.2012 until 09.08.2013 Annex C#5 Regulation (EC) 338/97

12.06.2013 until 01.01.2017 Appendix II#5 CITES

10.08.2013 until 01.01.2017 Annex B#5 Regulation (EC) 338/97

Since 02.01.2017 Appendix II#15 CITES

Since 04.02.2017 Annex B#15 Regulation (EC) 338/97

History of the protection status of the whole population of Madagascar

12.06.2013 until 01.01.2017 Appendix II#5 CITES

10.08.2013 until 01.01.2017 Annex B#5 Regulation (EC) 338/97

Since 02.01.2017 Annex II#15 CITES

Seit 04.02.2017 Annex B#15 Regulation (EC) 338/97

Alphabetical preliminary order of rosewood species (*Dalbergia* spp.) of the population of Madagascar. Due to constantly changing of taxonomic and systematic findings, the list cannot be regarded as complete and conclusive:

Dalbergia abrahamii, *Dalbergia andapensis*, *Dalbergia aurea*, *Dalbergia baronii*, *Dalbergia bathiei*, *Dalbergia bojeri*, *Dalbergia brachystachya*, *Dalbergia bracteolate*, (Syn : *D.grandidieri* Baill.= *D.richardii* Baill), *Dalbergia campenonii*, *Dalbergia capuronii*, *Dalbergia chapelieri* (Syn: *D.pterocarpiflora* Baker), *Dalbergia chloro-carpa*, *Dalbergia davidii*, *Dalbergia delphinensis*, *Dalbergia emirnensis*, *Dalbergia erubescens*, *Dalbergia gautieri*, *Dalbergia glaberrima*, *Dalbergia glaucocarpa*, *Dalbergia greveana* (Syn : *.ambongoensis*. = *D.eurybothrya*= *D.ikopensis* = *D.isaloensis*. = *D. myriabotrys*), *Dalbergia hildebrandtii* (Syn : *D.boivinii* Baill.= *D. scorpioides* Baker), *Dalbergia hirticalyx*, *Dalbergia humbertii*, *Dalbergia lemurica*, *Dalbergia louvelii*, *Dalbergia madagascariensis*, *Dalbergia manongarivensis*, *Dalbergia maritima*, *Dalbergia masoalensis*, *Dalbergia mollis* (Syn : *D. chermesonii*), *Dalbergia monticola*, *Dalbergia neoperrieri*, *Dalbergia normandii*, *Dalbergia occulta*, *Dalbergia orientalis*, *Dalbergia peltieri* (Syn: *D. microcarpa*), *Dalbergia pervillei* (Syn : *D. densico-ma.*= *D. obtusa*), *Dalbergia pseudobaronii* , *Dalbergia pseudoviguieri* , *Dalbergia purpurascens*, *Dalbergia suaresensis* (Syn : *D.bernieri*), *Dalbergia trichocarpa* (Syn : *D.boinensis* = *D. perrieri*), *Dalbergia tricolor*, *Dalbergia tsaratananensis*, *Dalbergia tsiandalana*, *Dalbergia urschii*, *Dalbergia viguieri*, *Dalbergia xerophila*

***Diospyros* spp. (ebony) of the Madagascan Population**

History of the protection status of the whole population of Madagascar

22.12.2011 until 11.06.2013 Appendix III#5 CITES

15.12.2012 until 09.08.2013 Annex C#5 Regulation (EG) 338/97

Since 12.06.2013 Appendix II#5 CITES

Since 10.08.2013 Annex B#5 Regulation (EC) 338/97

Alphabetical preliminary list of ebony species (*Diospyros* spp.) of the population of Madagascar. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive:

Diospyros aculata, *Diospyros analamerensis*, *Diospyros anosivolensis*, *Diospyros baroniana*, *Diospyros bemarivensis*, *Diospyros bemieri*, *Diospyros bemieriana*, *Diospyros bezofensis*, *Diospyros boinensis*, *Diospyros boivinii* (incl. var. *manongarivensis*), *Diospyros calophylla*, *Diospyros cauchiana*, *Diospyros cinnamomoides*, *Diospyros clusiifolia*, *Diospyros conifer*, *Diospyros coursiana*, *Diospyros cupulifera*, *Diospyros danguyana*, *Diospyros decaryana*, *Diospyros dycory-pheoides* (incl. var. *meridionalis*), *Diospyros ebenifera*, *Diospyros enervis*, *Diospyros erinacea*, *Diospyros erythrosperma*, *Diospyros filipes*, *Diospyros fuscovelutina*, *Diospyros geayana*, *Diospyros gneissicola*, *Diospyros gracilipes* (incl. var. *lecomtei*, *parvifolia*, *velutipes*, *subvernensis*), *Diospyros greveana* (incl. var. *boinensis*), *Diospyros haplostylis* (incl. var. *hildebrandtii*), *Diospyros hazomainty*, *Diospyros hemiteles*, *Diospyros heterosepala*, *Diospyros humbertiana*, *Diospyros humbertii*, *Diospyros implexicalyx*, *Diospyros ketsensis*, *Diospyros laevis*, *Diospyros lamiana*, *Diospyros lanceolata*, *Diospyros latispatulata*, *Diospyros lenticellata*, *Diospyros leucomelas*, *Diospyros leucocalyx*, *Diospyros lokohensis*, *Diospyros louveli*, *Diospyros madagascariensis*, *Diospyros madecassa*, *Diospyros magnifolia*, *Diospyros manampetsae*, *Diospyros mangabensis*, *Diospyros mangorensis*, *Diospyros mapingo*, *Diospyros masoalensis*, *Diospyros mcphersonii*, *Diospyros meeusiana*, *Diospyros microrhombus*, *Diospyros montigena*, *Diospyros myriophylla*, *Diospyros myrtifolia*, *Diospyros myrtilloides*, *Diospyros natalensis*, *Diospyros neraudii*, *Diospyros nigricans*, *Diospyros nodosa*, *Diospyros obducta*, *Diospyros occlusa*, *Diospyros olacinoides*, *Diospyros onivensis*, *Diospyros parifolia*, *Diospyros parvifolia*, *Diospyros perreticulata*, *Diospyros perrieri*, *Diospyros pervillei*, *Diospyros platycalyx*, *Diospyros pruinosa*, *Diospyros quartzitarium*, *Diospyros quercina*, *Diospyros revaughanii*, *Diospyros rubrolanata*, *Diospyros sakalavarum* (incl. var. *mollifolia*), *Diospyros sclerophylla*, *Diospyros seychellarum*, *Diospyros sphaerosepala* (incl. var.

calyculata), *Diospyros stenocarpa*, *Diospyros striicalyx*, *Diospyros subacuta*, *Diospyros subenervis*, *Diospyros subfalciiformis*, *Diospyros subsessifolia*, *Diospyros subtrinervis*, *Diospyros tampinensis*, *Diospyros tetraceros*, *Diospyros tetrapoda*, *Diospyros torquata* (incl. var. *mabaoides*), *Diospyros toxicaria*, *Diospyros tropophylla*, *Diospyros urschii*, *Diospyros velutipes*, *Diospyros vera*, *Diospyros vescoi* (incl. var. *mandraren-sis*), *Diospyros viguieriana*

***Dipteryx* spp. (Cumaru, Tonka, Almendro)**

Alphabetical list of *dipteryx* species (*Dipteryx* spp.), which will be listed in Appendix II#17 CITES as from 25.11.2024 and in Appendix B#17 VO(EG) 338/97 as from 25.11.2024. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive. The species previously listed in Appendix III CITES and Annex C of Regulation (EC) 338/97 is listed separately above in the table with all relevant data.

Dipteryx alata, *Dipteryx casiquiarensis*, *Dipteryx charapilla*, *Dipteryx ferrea*, *Dipteryx lacunifera*, *Dipteryx magnifica*, *Dipteryx micrantha*, *Dipteryx odorata*, *Dipteryx oleifera*, *Dipteryx polyphylla*, *Dipteryx punctata*, *Dipteryx rosea*, *Dipteryx tetraphylla*, *Dipteryx trifoliolata*

***Gonystylus* spp. (Ramin)**

Alphabetical list of *Gonystylus* species (*Gonystylus* spp.) which have been listed in Appendix II#4 CITES since 12.01.2005 and in Appendix B#4 VO(EG) 338/97 since 22.08.2005.

Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive.

Gonystylus acuminatus, *Gonystylus affinis*, *Gonystylus aerolatus*, *Gonystylus augescens*, *Gonystylus bancanus*, *Gonystylus beccarianus*, *Gonystylus borneensis*, *Gonystylus brunnescens*, *Gonystylus calophylloides*, *Gonystylus calophylles*, *Gonystylus confusus*, *Gonystylus consanguineus*, *Gonystylus costalis*, *Gonystylus decipiens*, *Gonystylus eximius*, *Gonystylus forbesii*, *Gonystylus glaucescens*, *Gonystylus hackenbergii*, *Gonystylus keithi*, *Gonystylus lucidulus*, *Gonystylus macrocarpus*, *Gonystylus macrophyllus*, *Gonystylus maingayi*, *Gonystylus micranthus*, *Gonystylus miquelianus*, *Gonystylus nervosus*, *Gonystylus nobilis*, *Gonystylus obovatus*, *Gonystylus othmanii*, *Gonystylus pendulus*, *Gonystylus philippinensis*, *Gonystylus punctatus*, *Gonystylus pluricornis*, *Gonystylus reticulatus*, *Gonystylus spectabilis*, *Gonystylus stenosepalus*, *Gonystylus sympetala*, *Gonystylus velutinus*, *Gonystylus warburgianus*, *Gonystylus xylocarpus*

***Handroanthus* spp. (Ipê, Trompetenbäume, Guayacan)**

Alphabetical list of *handroanthus* species (*Handroanthus* spp.), which will be listed in Appendix II#17 CITES as from 25.11.2024 and in Appendix B#17 VO(EG) 338/97 as from 25.11.2024. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive.

Handroanthus albus, *Handroanthus arianae*, *Handroanthus barbatus*, *Handroanthus billbergii*, *Handroanthus botelhensis*, *Handroanthus bureavii*, *Handroanthus capitatus*, *Handroanthus catarinensis*, *Handroanthus chrysanthus*, *Handroanthus chrysotrichus*, *Handroanthus coralibe*, *Handroanthus coronatus*, *Handroanthus cristatus*, *Handroanthus diamantinensis*, *Handroanthus floccosus*, *Handroanthus grandiflorus*, *Handroanthus guayacan*, *Handroanthus heptaphyllus*, *Handroanthus impetiginosus*, *Handroanthus incanus*, *Handroanthus lapacho*, *Handroanthus obscurus*, *Handroanthus ochraceus*, *Handroanthus parviflorus*, *Handroanthus pedicellatus*, *Handroanthus pulcherrimus*, *Handroanthus pumilus*,

Handroanthus riodocensis, Handroanthus selachidentatus, Handroanthus serratifolius, Handroanthus speciosus, Handroanthus spongiosus, Handroanthus subtilis, Handroanthus uleanus, Handroanthus umbellatus

Khaya spp. (Afrikanisches Mahagoni, African mahogany, Acajou)

Alphabetical list of African khaya species (*Khaya* spp.) which have been listed in Appendix II#17 CITES since 23.02.2023 and in Appendix B#17 VO(EG) 338/97 since 20.05.2023. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive.

Khaya agboensis, Khaya anthotheca, Khaya euryphylla, Khaya grandiflora, Khaya ivorensis, Khaya madagascariensis, Khaya nyasica, Khaya senegalensis

Pterocarpus spp. (u.a. Padauk)

Alphabetical list of African pterocarpus species (*Pterocarpus* spp.) which have been listed in Appendix II#17 CITES since 23.02.2023 and in Appendix B#17 VO(EG) 338/97 since 20.05.2023. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive.

The species previously listed in Appendix II CITES and Annex B of Regulation (EC) 338/97 resp. in Appendix II#6 CITES and Annex B#6 of Regulation (EC) 338/97 are listed separately above in the table with all relevant data.

Pterocarpus angolensis, Pterocarpus brenanii, Pterocarpus erinaceus, Pterocarpus lucens, Pterocarpus mildbraedii, Pterocarpus officinalis, Pterocarpus osun, Pterocarpus rotundifolius, Pterocarpus santalinoides, Pterocarpus soyauxii, Pterocarpus tessmannii, Pterocarpus tinctorius

Sub species

Pterocarpus lucens subsp. lucens, Pterocarpus lucens subsp. antunesii, Pterocarpus officinalis subsp. gilletii, Pterocarpus rotundifolius subsp. rotundifolius, Pterocarpus rotundifolius subsp. martinii, Pterocarpus rotundifolius subsp. Polyanthus

Tabebuia spp. (Ipê, Trompetenbäume, Guayacan)

Alphabetical list of tabebuia species (*Tabebuia* spp.) which have been listed in Appendix II#17 CITES since 23.02.2023 and in Appendix B#17 VO(EG) 338/97 since 20.05.2023. Due to constantly changing taxonomic and systematic findings, the list cannot be considered complete and exhaustive.

Tabebuia acrophylla, Tabebuia angustata, Tabebuia arimaoensis, Tabebuia aurea, Tabebuia bahamensis, Tabebuia berteroi, Tabebuia bibracteolata, Tabebuia brooksiana, Tabebuia buchii, Tabebuia bullata, Tabebuia calcicole, Tabebuia caleticana, Tabebuia cassinoides, Tabebuia clementis, Tabebuia conferta, Tabebuia crispiflora, Tabebuia densifolia, Tabebuia domingensis, Tabebuia dubia, Tabebuia elegans, Tabebuia elliptica, Tabebuia elongate, Tabebuia fluvialtilis, Tabebuia gemmiflora, Tabebuia glaucescens, Tabebuia gracilipes, Tabebuia haemantha, Tabebuia heterophylla, Tabebuia hypoleuca, Tabebuia inaequipes, Tabebuia insignis, Tabebuia jackiana, Tabebuia jaucoensis, Tabebuia karsoana, Tabebuia lepidophylla, Tabebuia lepidota, Tabebuia leptoneura, Tabebuia linearis, Tabebuia maxonii, Tabebuia microphylla, Tabebuia moaensis, Tabebuia multinervis, Tabebuia myrtifolia, Tabebuia nodosa, Tabebuia obovate, Tabebuia obtusifolia, Tabebuia ophiolithica, Tabebuia orinocensis, Tabebuia ovatifolia, Tabebuia pallida, Tabebuia palustris, Tabebuia paniculate, Tabebuia pilosa, Tabebuia pinetorum, Tabebuia platyantha, Tabebuia polyantha, Tabebuia polymorpha, Tabebuia pulverulenta, Tabebuia reticulata, Tabebuia

revolute, Tabebuia ricardii, Tabebuia rigida, Tabebuia rosea, Tabebuia roseoalba, Tabebuia sagrae, Tabebuia sauvallei, Tabebuia schumanniana, Tabebuia shaferi, Tabebuia simplicifolia, Tabebuia stenocalyx, Tabebuia striata, Tabebuia trachycarpa, Tabebuia vinosa, Tabebuia zanonii, Tabebuia × del-riscoi, Tabebuia × perelegans